



GAUTENG

+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



SAHARA FLEX 6009707950360S

Style Type: Nylon Gloves with
Sandy Nitrile Coating
Colours: Blue/Black
Size: 7-11



SAHARA RX 6009707955877

Style Type: Nylon glove with
latex coating
Colours: Red/Black
Size: 7-11



SAHARA LATEX 6009707959059

Latex Rubber Gloves, Natural Rubber
fully coated gauntlet with a crinkle hand
finish. The glove has a fleeced jersey
cotton liner. Designed for high
durability and grip.
Size: 10



SAHARA SUPERIOR GREEN WELDER 6009707959066

Heat treated split leather, insulated
foam complex lining, reinforced palm
and thumb as well as dupont Kevlar
stitching.
Size: 10



**UNIGRIP PL
6628**

Mechanical Protection
PE knitted with rough latex coating
Size: 7-11



**UNILITE
6610F**

Mechanical Protection
Breathable nitrile foam coating for
damp / oily work. Fully dipped
Size: 6-11



**UNIFLEX
U7020**

Mechanical Protection
Nitrile coated, knitted glove, palm dip
general purpose
Size: 7-10



**ATHLETIC LITE
ASSEMBLY-60027**

Mechanical Protection
Lightweight and sensitive. Certified
in line with EN 388 (4 1 3 2 X)
Perfect fit "slim fit" design and
elastane in the liner
Size: 6-11



**PHYNNOMIC FOAM
60050**

Mechanical Protection
Knitted cuff Palm and fingertips coating
with aqua polymer foam coating
Size: 5-12



**PHYNNOMIC XG
60070**

Mechanical Protection
Knitted cuff Aqua-polymer xtra grip
foam coating on palm and fingertip
Size: 6-12



**PHYNNOMIC WET
60060**

Mechanical Protection
Knitted cuff Aqua-polymer foam
coating on palm and fingertips
Size: 6-12



**UNIPUR
6639**

Mechanical Protection
PU Finger-coated, Grey on grey,
nylon knitwrist General purpose
-wet / dry
Size: 6-11



**UNILITE
6605**

Mechanical Protection
Lightweight knitted glove with
breathable nitrile foam coating
Size: 6-11

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



SHARPSMASTER II 9014

Cut & Impact Protection
Needlestick resistance. SuperFabric® protection zone. Cotton blend with rubber latex coating. CUT LEVEL 5
Size: 6-10



HELIX® 2062 2062

Cut & Impact Protection
Shell: Core9™ 13-gauge HPPE, steel, and fiberglass blend for ANSI/ISEA Level A9 cut protection. Coating: Flexible sandy nitrile palm for superior grip and abrasion resistance. Visibility: Hi-vis back enhances visibility and compliance. Features: Knit wrist prevents dirt and debris entry
Size: 6-11



FIREARMOR® SR-X® 8180- 8180

Cut & Impact Protection
Structural firefighting glove made with cow suede leather. Extended gauntlet cuff for added protection against debris. Reinforced thumb saddle and palm for increased durability and abrasion resistance. NFPA 1971:2018 certified H2X™ FR moisture barrier (interior layer) 100% Nomex® knit inner liner for 360° heat resistance (TPP>60)
Size: 6-13



POINTGUARD® ULTRA 9032- 9032

Cut & Impact Protection
Protection: SuperFabric® layers offer top needlestick and cut resistance (ANSI/ISEA Cut Level A9, Needlestick Level 5)
Visibility: 15-gauge hi-vis polyester shell
Grip: Sandy nitrile three-quarter knuckle coating for superior wet grip and abrasion resistance. Features: Knit wrist blocks dirt and debris, seamless construction for enhanced comfort
Size: 7-13



ATHLETIC ALL-ROUND ASSEMBLY -60028

Mechanical Protection
Lightweight and dirt-resistant. Certified in line with EN 388 (4 1 2 2 X) Robust NBR foam coating Perfect fit "slim fit" design and elastane in the liner
Size: 6-11



BAMBOO TWINFLEX D XG 60090

Mechanical Protection
Superior comfort, sensitivity, and cut protection (level D). Bamboo TwinFlex tech. Touchscreen capable. Dermatologically tested. Made in Germany with 45% sustainable materials.
Size: 6-12



NF33 PROFASTRONG 60122

Chemical Protection
Grip structure for safe handling of dangerous liquids Certified to EN 388:2016 (4 1 0 1 X) and EN ISO 374-1:2016/Type A (A J K L O T)
Very high abrasion resistance



XG35B 60557

Chemical Protection
Especially good grip when working in oily conditions Gauntlet, approx. 35 cm Certified to EN 388:2016 (3 1 2 1 X) and EN ISO 374-1:2016/Type A (J K N O P T)
Size: 7-11



CF33 PROFAPREN CF33

Chemical Protection
Flocked Cotton with Polychloroprene coating chemical resistant cuff, patterned inside hand 33cm
Size: 7-10

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



**U-CHEM 3200
60972**

Chemical Protection
Certified according to EN ISO 374
1:2016/Type A (J K L M O T) and EN
388:2016 (3 1 3 1 X) Secure grip thanks
to the additional coating on the palm
Size: 7-11



**U-CHEM 3200 CUT
D 60636**

Chemical Protection
Certified according to EN ISO 374-
1:2016/Type A (J K L M O T) and EN
388:2016 (4 X 4 1 D) Secure grip with
additional coating on the palm
Size: 7-11



**C500 SLEEVE
60491**

Cut Protection
Under arm protection with Velcro
fastening (sold as a single unit) Cut
Level 5
Size: M-L



**C500 FOAM
60494**

Cut Protection
Foam HPE coating Bamboo-
rayon/Dyneema® glass/ polyamide
softgrip Cut Level C and elastane in
the liner
Size: 7-11



**C300 FOAM
60544**

Cut Protection
Foam HPE coating Bamboo viscose /
Dyneema® Glass / polyamide softgrip
Moisture repellent CUT LEVEL C
Size: 7-11



**UNIDUR
6659**

Cut Protection
Foam Polyurethane coating for dry and
slightly damp areas CUT LEVEL C
Size: 6-11



**ATHLETIC D5 XP
60030**

Cut Protection
Additional thumb reinforcement
Certified in line with EN 388 (4 X 4
3 D) Very flexible safety gloves with
excellent fit
Size: 6-12



**U-CHEM 3200 CUT
D 60636**

Cut Protection
Certified according to EN ISO 374-
1:2016/Type A (J K L M O T) and EN
388:2016 (4 X 4 1 D) Secure grip with
additional coating on the palm
Size: 7-11



**BAMBOO
TWINFLEX D XG
60090**

Cut Protection
Superior comfort, sensitivity, and cut
protection (level D). Bamboo TwinFlex
tech. Touchscreen capable.
Dermatologically tested. Made in
Germany with 45% sustainable materials.
Size: 6-12

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



ARC PROTECT G1 60838

Heat Protection
Outstanding tactile feel Excellent
protection against thermal discharge
Very pleasant on the skin thanks to its
cotton content
Size: 7-11



POWER PROTECT V1000 ELECTRICIANS 60840

Heat Protection
Length 41 cm EN 60903: 2003 IEC 60903:
2014 (Class 0/RC) Anatomical fit Flexible,
good grip even at low temperatures Flexible
at cold temperatures Mineral oil-resistant
Size: 7-11



IMPACT 1 6059807

Cut & Impact Protection
NBR Coating with grip-finish
yellow/black HPPE / glass / nylon Base
glove CUT LEVEL 5
Size: 7-11



RIG LIZZARD 2025

Cut & Impact Protection
SuperFabric® protection zone CUT
LEVEL 5
Size: 6-12



THIN LIZZIE 2090X

Cut & Impact Protection
CUT LEVEL 5
Size: 5-12



EXT RESCUE BARRIER-4014

Cut & Impact Protection
mpact protection Bloodborne pathogen
resistance CUT LEVEL 5
Size: 7-12



HELIX® 2076 2076

Cut & Impact Protection
Knit: 13-gauge HPPE and steel fiber
blend shell for 360° cut protection.
Coating: Polyurethane palm for
superior grip and abrasion resistance
Protection: ANSI/ISEA level A6 cut
resistance. Features: Elastic knit wrist
to block dirt and debris, seamless
construction for comfort &
breathability
Size: 6-13

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



DEXCUT CUT 3/4 GLOVE- WG787

Material: Nitrile single-coated with nylon liner and knit wrist cuff
Protection: Glass fiber and HPPE for Cut Level 5 protection. Comfort: Spandex for elasticity and comfort.
Use: Ideal for high cut-risk environments with excellent dexterity and grip
Size: 7-11



DEX CUT FULL DIP GLOVE- WG718

With a flexible liner and triple nitrile back coated glove the WG718 is most suitable for working in wet or oily environments especially when requiring protection against cuts. Wonder Grip 718 Dexcut has the highest EN338 cut 5 resistance level and combined with triple back coating makes it the ultimate industrial glove available.
Size: S-XL



THERMO LITE HI VIZ ORANGE-WG320

Coating: Latex retains softness in low and freezing temperatures. Liner: 13-gauge acrylic napped liner for cold protection. Grip: Excellent grip and liner for easy movement in cold environments
Features: Thermo Lite offers dexterity, comfort, and warmth
Size: 8-10



AQUA GLOVE WG318

A latex glove; double coated with nylon liner and knitwrist cuff. Suitable for wet and cold environments. Excellent grip for dry and wet conditions. Full dip for protection against liquids.
Size: 8-10



FLEX GLOVE WG500

Wonder Grip Flex features the original Wonder Grip Nitrile coating; which has a single nitrile coating and 13-gauge nylon liner. Wonder Grip Flex is an excellent; basic protective glove. Moreover; Flex focuses on comfort.
Size: 7-11



OIL GLOVE WG510

A nitrile glove; double coated with nylon liner and knitwrist cuff. Excellent for general use or oily environments. Excellent dexterity and grip; and double dip reduces oil breakthrough.
Size: 7-11



OIL PLUS GLOVE WG518W

Coating: Double nitrile for exceptional grip and strength in dry or wet conditions. Liner: 15-gauge nylon. Technology: Wonder Grip Technology™ for protection with wet, greasy, or oily elements.
Features: Durable, abrasion-resistant, soft finish for dexterity and minimal hand fatigue
Size: 7-10



OIL GUARD GLOVE WG528L

A nitrile glove; triple coated with nylon liner and gauntlet cuff. Excellent for ultra-wet or oily environments. Gauntlet cuff provides extra protection; while still maintaining excellent dexterity and grip.
Size: 7-10

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



MAXICUT ULTRA 44-3745

MaxiCut® Ultra™ for dry environments that integrates the core values of MaxiCut® into a thinner, more comfortable and durable package
Size: 6-12



MAXICUT OIL GRIP CUT LEVEL 5 34-504

MaxiCut® Oil™ combines cut protection with comfort, flexibility and dexterity for oily and wet environments. Technologies inside: CUTtech®, LIQUltech®, ERGOtech®, GRIPtech®, HandCare®
Size: 8-11



MAXICUT OIL GRIP 3/4 COATED- 34-305

MaxiCut® Oil™ combines cut protection with comfort, flexibility and dexterity for oily and wet environments. Technologies inside: CUTtech®, LIQUltech®, ERGOtech®, GRIPtech®, HandCare®
Size: 8-11



MAXICUT OILGRIP LEATHER PALM 34-450 LP

MaxiCut® Oil™ combines cut protection with comfort, flexibility and dexterity for oily and wet environments. Technologies inside: CUTtech®, LIQUltech®, ERGOtech®, GRIPtech®, HandCare®
Size: 8-11



MAXIDRY OIL FULLY COATED 56-426

Ultra lightweight synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort sensitivity fit and dexterity.
Size: 8-11



MAXIDRY PLUS 56-530

Ultra lightweight synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort sensitivity fit and dexterity.
Size: 7-11



MAXIDRY GP 56-425

The micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications.
Size: 8-11



MAXICHEM (GAUNTLET) CUT 3 56-633

MaxiChem® Cut™ is designed and developed for those working with chemicals where cut resistance is required and is certified as a Type A product according to EN ISO 374:2016 + A1:2018.
Size: 9-11



MAXITHERM 30-201

Innovative fibres ATG source their own ingredients to develop their own unique high performance yarns and fibres that offer cut protection whilst maintaining high levels of comfort.
Size: 8-11

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



MAXIDRY ZERO 56-451

Thermal waterproof protection with grip For extreme cold conditions FDA approved
Size: 9-11



MAXIFLEX ULTIMATE AD-APT 42-874

MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology
Size: 6-12



MAXIFLEX CUT 3 34-8743

MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also DMF free and free from SVHCs (REACH)
Size: 6-12



MAXIFLEX ENDURANCE AD-APT 42-844

MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology
Size: 5-12



MAXIFLEX ELITE 34-274

Weighing only 14 grams the MaxiFlex® Elite™ is our lightest and thinnest MaxiFlex® when extreme dexterity is needed
Size: 6-11



MAXIFLEX ENDURANCE 34-847

The raised dots on the MaxiFlex® Endurance™ offers increased cushioned for those doing repetitive jobs or carry heavy loads.
Size: 6-11



MAXIFLEX ULTIMATE AD-APT 42-876

MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology
Sizes: 6-11



MAXIFLEX ACTIVE 34-814

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.
Sizes: 5-11



MAXICUT 34-450

MaxiCut® combines cut protection with comfort, flexibility and dexterity for dry environments
Sizes: 6-11

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



HANVO SUPER GRIP FULL DIP NITRILE NKX504

Seamless 15g black woven polyester for comfort, dexterity, and breathability. Full nitrile dip and sandy nitrile palm for superior grip in wet, dry, and oily conditions; excellent abrasion and tear resistance. Full dip ensures excellent resistance to liquid and oil permeation. Knit wrist prevents dust and debris
Size: 7-11



HANVO GENERAL HANDLING PU GLOVE -PE302

Seamless 13g black woven nylon for comfort, dexterity, and breathability. PU palm for abrasion and tear resistance, maintaining tactile sensitivity. Knit wrist prevents dust and debris, breathable back for comfort
Size: 7-11



HANVO GENERAL HANDLING LATEX GLOVE LA304

Seamless 13g purple woven polyester for comfort, dexterity, and breathability. Latex crinkle palm for excellent grip in wet & dry conditions, with good abrasion and tear resistance. Knit wrist prevents dust and debris, breathable back for comfort
Size: 7-11



HANVO SUPER GRIP NITRILE GLOVE NX302

Seamless 13g red woven nylon for comfort, dexterity, and breathability. Sandy nitrile palm for superior grip in wet, dry, and oily conditions, with excellent abrasion and tear resistance. Excellent liquid and oil permeation resistance. Knit wrist, breathable back
Size: 7-11



HANVO SUPER GRIP CUT LEVEL 5 NITRILE NX352

Seamless 13g grey woven HPPE and fiber for comfort, dexterity, breathability, and protection. Sandy nitrile palm for superior grip in wet, dry, and oily conditions; excellent abrasion, cut, tear, and penetration resistance. Excellent liquid and oil permeation resistance. Knit wrist, breathable back
Size: 7-11



**MEMPHIS FOAM
9673**

13 Gauge Gray Nylon Shell, Black Nitrile Foam Palm and Fingers, Cool and Comfortable, Easy to wear, Knit Wrist



**KS-5
9389**

13 Gauge Kevlar®, Stainless Steel, and Nylon Shell, Black Textured Latex Palm Coating, Good cut, puncture, and abrasion resistance, Lightweight shell with high dexterity, Provides enhanced grip, Treated with ActiFresh®



**FORCE FLEX
HV100L**

Injection Molded TPR Padding on the Back of Hand and Fingers, Neoprene Slip-on Cuff w/Side Flex Panels, Reflexite Micro-Prismatic Retroreflective Material on Both Sides of Cuff, Rough Kevlar® Palm w/EVA Padding Reinforced Palm



**FLEX TUFF
KEVLAR 9687-0**

Coated with blue crinkle latex on palm and fingers, Cut resistant, puncture resistant, and abrasion resistant gloves, Excellent gripping power, High comfort level, Made with durable DuPont™ Kevlar®



**FLEX TUFF II
9688-0**

10-gauge gray cotton/polyester shell, Excellent comfort and fit, Gray latex dip on the palm and fingertips, High quality work gloves, Improves grip



**ULTRA TECH
9699**

15 gauge gray nylon shell, Excellent comfort, fit and grip, Good abrasion resistant glove, Great dexterity, Great tactile sensitivity, HPT coated palm and fingertips, Treated with ActiFresh®



**ULTRA TECH
9696**

Excellent comfort and fit, Great tactile sensitivity, Greater dexterity, Touchscreen gloves



**MEMPHIS
PREMIUM PVC
6414**

Double dipped premium PVC coated gloves, Soft jersey lining, 14 inches long, Sandy textured finish, Nitrile reinforced, Treated with ActiFresh®



**MEMPHIS
PLYFLEX 6885**

Component materials comply with all federal regulations for food contact, Fully coated with blue textured rubber latex, Interlock lining, Long extended length glove measures 12 inches, Treated with ActiFresh®, Wing thumb

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



FULL LENGTH SLEEVES 50-60THV

100% Dromex Cut5 Fibre sleeve with thumb hole, High cut & abrasion resistance, High contact heat protection, Colour UV resistant, Lint free & washable



IMPACT CUT 5 52LSTPV

100% Cut5 fibre, Innovative TPV impact protection, PU dipped palm, Seamless ergonomic liner, Velcro closing for enhanced fit, Composite knitted wrist, High abrasion & puncture resistance, High cut & tear resistance, High impact protection, TPV impact protection, Enhanced dexterity & flexibility, Good grip
Sizes: 8-10



CAMO CUT 5 52J

High cut & abrasion resistance, High contact heat protection, High dexterity, Colour UV resistant, Lint free & washable, 100% Dromex Cut5 fibre, Seamless ergonomic liner, Ultra grip PU anti-slip coating, Reinforced thumb crotch, Composite knitted wrist
Sizes: 8-11



NITRILE COATED CUT 5 DROMEX #57

High cut & abrasion resistance, High contact heat protection, High grip power, Colour UV resistant, 100% Dromex Cut5 fibre, Ultra grip Nitrile coating, Composite knitted wrist, Colour UV resistant, Lint free & washable
Sizes: 7-12



FOOD SERIES 55LF

100% Dromex Cut5 fibre, FDA & German food grade approved, Seamless with a composite knitted wrist, Ambidextrous, High cut & abrasion resistance, Contact heat protection, Colour UV resistance, Sanitised treatment, Extra length, Lint free & washable
Sizes: 7-11



LATEX COATED 59YSP

High cut & abrasion resistance, High contact heat protection, High cut resistance, High grip power, Colour UV resistant, 100% Dromex Cut5 fibre, Ultra grip crinkle Latex coating, Seamless ergonomic liner, Composite knitted wrist, Lint free & washable
Sizes: 8-11



DIPPED GLOVE CUT 5 DG-58SC

High Abrasion Resistance, High Contact Protection, High Cut Resistance, High Grip Power, Colour UV Resistance



MIIZU 300 MIIZU300HI

High visibility, High durability, High dexterity, Super grip, Waterbased PU & Nitrile micro foam finish, Composite knitted wrist
Sizes: 8-11



MIIZU 400 THERMAL MIIZULFM4001W

High visibility, Soft yellow polyester glove with poly-acrylic fleece lined fibre, Micro foam latex palm & fingers for excellent grip, Good abrasion, puncture, tear & cut resistance, Functions at temperatures up to -50 °C
Sizes: 8-10

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



SLEEVES 50-135-TY

100% Dromex Cut5 Fibre sleeve with thumb hole, High cut & abrasion resistance, High contact heat protection, Colour UV resistant, Lint free & washable



SEAMLESS CUT 5 55M-Y

High cut & abrasion resistance, High contact heat protection, Colour UV resistant, Lint free & washable, 100% Dromex Cut5 fibre, Seamless ergonomic liner, Reinforced crotch area, Composite knitted wrist
Sizes: 7-10



SEAMLESS DBL DOTTED GLOVE DG-56M-Y-2D

High Abrasion Resistance, High Contact Heat Protection, High Cut Resistance, Colour UV Resistance, Lint Free & Washable
Sizes: 7



CHEMICAL CUT 5 57H201B

100% Dromex Cut5 fibre, HCT Nitrile multilayer technology, Soft organic cotton inner liner, H201B has extended cuffs, High cut & abrasion resistance, General chemical resistance, High contact heat resistance, Colour UV resistant, Lint free & washable
Sizes: 10



CHEMICAL PLUS 57H201PLUS

High Abrasion Resistance, High Chemical Resistance, High Heat Resistance, High Cut Resistance, Colour UV Resistance, Lint Free & Washable



NITROLITE NITROLITE

High abrasion, Oil solvent resistance, High dexterity, Grey nitrile palm coated, Nylon seamless shell, Composite knitted wrist
Sizes: 7-10



DYTEC PU COATED GLOVES DG-DYTEC3

Cut level 3, High Durability, High Dexterity, Super Grip, High Sensitivity on the fingers area
Sizes: 8-11



PU20.01 PU2001/B

High durability, High dexterity, Super grip, Protection against abrasion, 100% Polyurethane palm & finger coating, 100% Nylon seamless liner, Composite knitted wrist
Sizes: 6-11



PU20.01 PU2001/W

High durability, High dexterity, Super grip, Protection against abrasion, 100% Polyurethane palm & finger coating, 100% Nylon seamless liner, Composite knitted wrist
Sizes: 6-11

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



SUPERLITE PU20.02

High durability, High dexterity, Super grip, High sensitivity on the fingers area, PU Coated palm & fingers, Blue seamless light nylon liner, Innovative fibre, Composite knitted wrist
Sizes: 8-11



NITRIFLEX COATED DG-NITRIFLEX

High abrasion, Strong oil-resistance, Super grip, Softer touch and higher flexibility, Sanitized
Sizes: 7-11



NITRIFLEX PALM COATED GLOVES

High abrasion, Strong oil-resistance, Super grip, Softer touch and higher flexibility, Sanitized



MACH 2WP15 IMPACT GLOVES DG-MACH-2WP15

Maximum dexterity & high grip performance, Back of hand impact protection, Provides optimum balance between flexibility & impact dispersion, Waterproof
Sizes: L



MACH 4 META MINE IMPACT DG-MACH-4

Flexible Accordion style foam padded channels on back, Thermal Plastic Rubber on back of fingers & thumb, Anti-slip palm, Fluorescent orange spandex back for safety, Highly reflective knuckle strip with an ergonomic design reducing hand fatigue, Extended neoprene cuff with an adjustable wrist tab & loop
Sizes: 8-12



MACH 5 MINING IMPACT GLOVES DG-MACH-5

Multi-functional anti-vibration mechanical glove, maximum dexterity, non-slip performance. Synthetic leather palm, durable anti-slip PVC patches, strengthened palm for superior grip in slippery conditions. High-visibility composite poly/spandex fabric for impact protection.
Sizes: 9-10



MACH 6 META MINE IMPACT DG-MACH-6

Accordion-style foam-padded channels on the back, Thermal Plastic Rubber on fingers and thumb, Anti-slip palm, Fluorescent orange spandex back for safety, Highly reflective knuckle strip with ergonomic design to reduce hand fatigue, Extended neoprene cuff with adjustable wrist tab and loop, Waterproof neoprene.
Sizes: 8-11



MACH 777 MACH-777

Cut5 HDPE lining, High impact, abrasion, cut & tear resistance, Black Nitrigrip & vibro-impact reinforced palm, Grey back with black/lime IMPACT knuckle guard, 7cm waterproof neoprene cuff with reflective tape, Hi-Viz TPR on back of fingers & thumb, Foamed padding on palm for anti-vibration, Multifunctional mechanical glove
Sizes: 7-13



MACH30WP MACH-30WP

Hi-Viz Cut5 Mechanical glove, Multi function, Impact resistant, Anti-vibration, Checker palm for grip, Waterproof, Latex foam reinforced multi-colour TPR back of hand impact protection
Sizes: 8-11

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



MACH MECHANIC MACH100WP

Hi-Viz Cut5 Mechanical glove, Waterproof, Impact resistant, Anti-vibration, Oil repellent fabric, Kevlar fabric patch & anti-vibration patch on palm, Latex foam reinforced multi-colour TPR back of hand impact protection
Sizes: 8-11



IRON MAN GLOVES S-H33

Kevlar palm & aluminium back with Kevlar lining, High heat resistant with contact heat up to 500°C, Protection against molten metal sparks & splash, 100% Cotton with PU foam cotton liner, Excellent resistance to abrasion, cut & tear, Excellent grip, 360g per glove
Sizes: 10



THOR ELECTRICAL INSULATING DG-THOR30

Electrical purposes -voltage up to 1kV (Kilovolts), R – acid resistant, oil resistant, ozone-resistant C – resistant to extremely low temperatures, High flexibility preventing hand fatigue, Fits well with protective leather overgloves, Each glove is electrically tested & issued with an examination certificate, 360mm (±15mm) long, CLASS 3 > 3 (30kV), High voltage
Sizes: 8-10



THOR ELECTRICAL INSULATING DG-THOR5

Exclusively for electrical purposes - voltage up to 1kV (Kilovolts), R – acid resistant, oil resistant, ozone-resistant C – resistant to extremely low temperatures, High flexibility preventing hand fatigue, Fits well when worn with protective leather overgloves, Each glove is electrically tested & issued with an examination certificate, 360mm (±15mm) long, CLASS 0 > 0 (5kV), Low voltage
Sizes: 8-10



THOR ELECTRICAL INSULATING DG-THOR10

Exclusively for electrical purposes - voltage up to 1kV (Kilovolts), R – acid resistant, oil resistant, ozone-resistant C – resistant to extremely low temperatures, High flexibility preventing hand fatigue, Fits well when worn with protective leather overgloves, Each glove is electrically tested & issued with an examination certificate, 360mm (±15mm) long, CLASS 1 > 1 (10kV), High voltage
Sizes: 8-10



THOR ELECTRICAL INSULATING DG-THOR20

Exclusively for electrical purposes - voltage up to 1kV (Kilovolts), R – acid resistant, oil resistant, ozone-resistant C – resistant to extremely low temperatures, High flexibility preventing hand fatigue, Fits well when worn with protective leather overgloves, Each glove is electrically tested & issued with an examination certificate, 360mm (±15mm) long, CLASS 2 > 2 (20kV), High voltage
Sizes: 8-10



MOLTEN WARRIOR S-H35

Leather palm and Aluminium back with Kevlar lining, High heat resistance with contact heat up to 500°C, Protection against molten metal sparks & splash, 100% Cotton with PU foam cotton liner, High resistance to abrasion, tear & cut, Excellent grip in oily conditions
Sizes: 10



16.8 CAL ARC DIPPED DG-NE423AF

Excellent grip in wet, oily & dry environments, High dexterity resistance, High resistance to snatch, tear, cut, abrasion & heat, Basic chemical oil stability, Seamless knitted aramid fibre glove with a textured coated palm, Extended 10cm cuff
Sizes: 7-13



51 CAL LEATHER ARC GLOVES DG-CA420

Leather glove lined with Aramid fibre. Kevlar stitching. Shirred extended 16cm cuff. Tan split cow leather palm 1.0 to 1.2mm with equivalent reinforcing. Tan split cow leather back 1.0 to 1.2mm, shirred. Yellow aramid knitted wrist cuff with tan split cow leather 0.8 to 1.0mm leather continuous pull
Sizes: 8-11

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



70 CAL ARC SWITCHING GLOVE DG-ARC70

ATPV 70cal/cm2, Flame retardant glove lined with meta aramid mat lining, Inherent FR thread throughout, Glove thickness: 2.7mm, Elasticated shirred cuff for comfort
Sizes: M-XL



25 CAL ARC SWITCHING GLOVE DG-ARC25

ATPV 25cal/cm2, Flame retardant glove lined with meta aramid mat lining, Inherent FR thread throughout, Glove thickness: 2.7mm, Elasticated shirred cuff for comfort
Sizes: M-XL



125 CAL ARC SWITCHING GLOVE DG-ARC70

ATPV 125cal/cm2, Flame retardant glove lined with meta aramid mat lining, Inherent FR thread throughout, Glove thickness: 2.7mm, Elasticated shirred cuff for comfort
Sizes: M-XL



CHAIN MAIL RTCMG-01

Stainless steel chain mail glove. Ambidextrous. Wrist length. Washable. Tapered fit design. 20mm Colour coded fastening wrist band. Supplied with glove tensioner
Sizes: XS-XL



COTTON GLOVES DG-COT

Machine knitted. 10 gauge. Cotton blend ambidextrous. Knit construction stretches for excellent fit. Provides comfort and protection of the hand. Re-usable ambidextrous. Cotton blend. Winged thumb. Knit wrist cuff
Sizes: L/10



COTTON GLOVES DG-COT/W

Machine knitted. 7 gauge. Cotton blend ambidextrous. Knit construction stretches for excellent fit. Provides comfort and protection of the hand. Re-usable ambidextrous. Cotton blend. Winged thumb. Knit wrist cuff
Sizes: L/10



DOUBLE DOTTED COTTON GLOVES DG-COT/DD

Machine knitted, 7-gauge. Cotton blend ambidextrous. Knit construction stretches for excellent fit. Provides comfort and protection of the hand. Designed to assist in grip on wet and dry surfaces. Re-usable ambidextrous. Winged thumb. Knit wrist cuff
Sizes: L



RUBBER GRIPPER GLOVES 1412A

Provides excellent grip and dexterity
Machine knitted reinforced cotton liner
Textured crinkled rubber palm coating
Machine knitted 7gg yellow cotton liner



CRINKLE RUBBER GLOVES DG-COM/KW

27cm length glove. crinkled finished palm for great grip especially in wet. knit wrist cuff. Latex coated gloves provide high elasticity, great abrasion and tear resistance
Sizes: L/10

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



RUBBER GLOVES DG-LATEX/35

Natural rubber fully coated gauntlet with crinkle hand finish
Reinforced fleeced jersey cotton liner
Designed for high durability and grip
Fully coated natural rubber gauntlet
Fleeced jersey cotton liner
Crinkle finish
Sizes: L/10



RUBBER COATED CRAYFISH GLOVES DG-CRAY

Diamond groove rubber coated.
Provides grip when handling slippery or abrasive objects. Protects hands against cut and puncture hazards.
Rubber coated palm & fingers. Cotton liner. Composite knit wrist
Sizes: L



CHEMICAL NITRILE 0056

Green Nitrile unsupported (0.38mm) thick. Micro flock lined for comfort. Textured palm, fingers and partially on the wrist for grip. Washable. Straight cuff. 33cm length
Resistant to: K: Sodium Hydroxide 40%, L: Sulphuric Acid 96%, J: n-Heptane. Straight cuff
Sizes: 6 - 10



RUBBER HOUSEHOLD DG-HS-Y

Diamond pattern palm provides grip. 10cm Flute cuff allows the glove to breathe and provides a good seal over chemical protective suit or on hands. Diamond pattern wrist cuff and flock lining assists with ease of removal of gloves. Flock lined, reusable. Waterfall yellow latex with wiring thumb. Diamond pattern palm and wrist. Cotton flock lined latex
Sizes: S-XL



RUBBER HOUSEHOLD DG-HS-B

Diamond pattern palm provides grip. 10cm Flute cuff allows the glove to breathe and provides a good seal over chemical protective suit or on hands. Diamond pattern wrist cuff and flock lining assists with ease of removal of gloves. Cotton flock lined latex
Sizes: M-XL



H1-40 BLACK RUBBER DG-H1-40

Heavy duty. Unlined natural rubber latex. High durability & elasticity. High puncture & abrasion resistance. Black rubber latex. Rolled open cuff. Smooth palm. 40cm length
Sizes: L



VIPER CHEMICAL GLOVES DG-VIPER

Higher flexibility for long duration wear comfort. High dexterity. High abrasion. Super grip. Impermeable protection. Double dipped PVC. Seamless cotton liner. AZO free/ Chromite 6 free
Sizes: 9 - 10



VIPER PLUS CHEMICAL DG-VIPERPLUS

Higher flexibility for long duration wear comfort. High dexterity. High abrasion. Super grip. Impermeable protection. Double dipped PVC. Seamless cotton liner. AZO free/ Chromite 6 free. Extra length sleeve & elasticated cuff
Sizes: 9 - 10



TIG WELDING ECONO LEATHER DG-TIG/ECONO

Consists of a tan dyed pigskin split grain leather. Sewn with syntax thread & cotton bound cuff trim. Shirred cuff for additional hold. Gunn cut. Keystone thumb. Winged thumb. Shirred cuff. Continuous side open cuff, shirred with polyester binding
Sizes: L/10

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



CANDY STRIPE GLOVES DG-CANDY

Consists of chrome cow split leather and cotton drilled candy stripped fabric. Cotton laminated safety cuff. Gunn cut. Keystone thumb. Wool palm and fingers. Split grain cow leather. Candy stripped drilled cotton. Shirred cotton laminated safety cuff
Sizes: L/10



NITRILE FULLY DIPPED NITRILE 0921

Excellent grip. High abrasion. High cut resistance. Fully coated nitrile. Interlock liner. Rib cuff
Sizes: 7 - 10



ACTIFRESH NITRILE COATED DH0911A

High abrasion and cut hazards. High dexterity. Sanitized treatment suppresses the reproduction of microbes, such as bacteria and fungi and hinders both the unpleasant odours as well as material damage from mildew. Full knuckle and palm coated nitrile gloves. Cotton Interlock liner. ± 2mm Composite knitted wrist



NITROLITE NITROLITE

High abrasion. Oil solvent resistance. High dexterity. Grey nitrile palm coated. Nylon seamless shell. Composite knitted wrist. Grey nitrile palm coated. Nylon seamless shell. Composite knitted wrist
Sizes: 7 - 10



0722 NITRILE COATED K WRIST NITRILE 0722

Heavy duty. Excellent grip. High abrasion. High cut resistance. Fully coated nitrile. Interlock liner. Crinkle finish. Rib cuff



0742 NITRILE COATED S CUFF NITRILE 0742

Heavy duty. Excellent grip. High abrasion. High cut resistance. Fully coated nitrile. Interlock liner. Crinkle finish. Rib cuff



FREEZER GLOVES DG-FREEZER

High visibility. Protects against cold temperatures and mechanical hazards. Liquid proof with light resistance to chemical contact. PVC coating effective between -50°C and 66°C. Fluorescent orange thermoplastic PVC coating. Interlock cotton liner with foam. Gauntlet cuff
Sizes: L



WELD PRIME LEATHER GLOVES DG-WELD/PRIME

High abrasion resistance. High cut resistance. High contact protection. Heat resistance. Gunn cut. Reinforced & fully welded. Yellow cotton fleece liner. Thumb yoke reinforcing. 16 inch green split leather cuff
Sizes: 10



2.5" CHROME LEATHER DBL PALM DG-WELD/2.5

High abrasion resistance. Gunn cut. Double layer palm. 2.5 inch cow chrome leather cuff
Sizes: L/10

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



2.5" SUPERIOR LINED LEATHER DG-WELD/2.5GR

High abrasion resistance. Gunn cut. Fully welted. Green dyed split leather. 2.5 inch cow split leather cuff
Sizes: L/10



WELD BLUE LEATHER GLOVES DG-WELD/BLUE

High abrasion resistance. High cut resistance. High contact protection. Heat resistance. Gunn cut. Reinforced thumb. Knuckle strap. Fully welted, Fully cotton lined palm & fingers. 8 inch leather cuff
Sizes: 10



INFERNO GLOVES DG-INFERNO

Tan leather multi-layered firefighter gloves. Breathable, heat-resistant, waterproof, and abrasion-resistant. Flexible, comfortable, and insulated. Gunn cut wing thumb, reinforced fingers. Knitted cuff with continuous pull and shirred back. Composite fiber hand layer with vapor barrier. Tan split cow leather palm and back (1.0-1.2mm). Yellow aramid wrist cuff with leather pull (0.8-1.0mm)
Sizes: M-XL



PREMIUM PIG LEATHER GLOVES DG-TIG

Gunn cut. Keystone thumb. Continuous side open cuff with polyester binding. Reinforced with syntax thread & cotton bound cuff trim for additional strength. Pigskin full grain leather
Sizes: 8 - 11



PREMIUM GOATSKIN LEATHER DG-GOAT-A

Designed for TIG welding or driver glove users. Made of natural premium full grain goatskin leather. Features gunn cut, keystone thumb, and shirred cuff. Reinforced syntax thread and red cotton bound cuff trim for extra strength. Goatskin provides durability and softness due to natural lanolin content
Sizes: 8, 9, 10, 12



WELD RED LEATHER GLOVES DG-WELD/RED

High abrasion resistance. High cut resistance. High contact protection. Heat resistance. Sewn with Kevlar thread. Gunn cut. Wing thumb. Apron palm. Fully cotton lined palm & fingers. 8 inch leather cuff
Sizes: 10



PREMIUM LEATHER RIGGER DG-RIGGER/EXEC

High abrasion resistance. High cut resistance. High contact protection. Gunn cut. Reinforced index finger, palm & knuckle protection. Shirred EVA (Ethylene-vinyl acetate) safety cuff. Pull tabs & leather padded finger tips
Sizes: L/10



PIGSPLIT CANDY STRIPE GLOVES DG-88PBSA

Rigging operations & general handling. Provides abrasion resistance & breathability. Cotton laminated safety cuff & shirred wrist for extra hold. Cotton palm & fingers. Made of Split pigskin leather (1mm $\pm$ 5%). Candy-striped drilled cotton (0.5mm $\pm$ 5%)
Sizes: L/10



51 CAL LEATHER ARC GLOVES DG-CA420

Leather lined with Aramid fiber. Kevlar stitching and 16cm shirred cuff. Tan split cow leather (1.0 to 1.2mm). Yellow Aramid wrist cuff with continuous pull. 51 CAL/CM² arc rated. High cut level D. High resistance to abrasion, snatch, tear, cut, & heat. Waterproof. Multi-layer protection for flexibility, comfort, and insulation.
Sizes: 8 - 11

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



STANDARD DUTY PVC GLOVES GPVC/KW

Ruby red thermoplastic PVC, 27cm length. Synthetic coating on a cotton interlock liner with knitted wrist cuff. Excellent resistance to acids, oils, fats, caustics, and petroleum. Abrasion resistance for wet & dry applications. Fully dipped. Fleece jersey cotton liner. Smooth finish. Knit wrist cuff.



STANDARD DUTY PVC GLOVES 27CM GPVC/27

Thermoplastic PVC, 27cm length. Synthetic coating on a cotton interlock liner. Excellent resistance to acids, oils, fats, caustics, and petroleum. Abrasion resistance for wet & dry applications. Fully dipped. Cotton liner. Smooth finish. Open cuff.



STANDARD DUTY PVC GLOVES 35CM GPVC/35

Thermoplastic PVC, 35cm length. Synthetic coating on a cotton interlock liner. Excellent resistance to acids, oils, fats, caustics, and petroleum. Abrasion resistance for wet & dry applications. Fully dipped. Cotton liner. Smooth finish. Open cuff.



HEAVY DUTY GREEN PVC 27CM GPVC/27/HG

Double dipped green PVC coating on Jersey Cotton blend liner. Open wrist gauntlet cuff. Excellent resistance to acids, oils, fats, and petroleum hydrocarbons. Rough palm finish for grip in wet and oily conditions. 27cm in length. PVC effective between -4°C and 66°C.



HEAVY DUTY GREEN PVC 40CM GPVC/40/HG

Double dipped green PVC coating on Jersey Cotton blend liner. Open wrist gauntlet cuff. Excellent resistance to acids, oils, fats, and petroleum hydrocarbons. Rough palm finish for grip in wet and oily conditions. 40cm in length. PVC performs effectively between temperatures of -4°C and 66°C.



XTRA HEAVY DUTY PVC GLOVES XTRA/KW

High abrasion, cut, chemical, and heat resistance. Fully coated extra heavy duty PVC. Fleece jersey reinforced cotton liner. Rough finish for improved grip. Knitted wrist



XTRA HEAVY DUTY PVC GLOVES 35CM XTRA/35

High abrasion, cut, chemical, and heat resistance. Fully coated extra heavy duty PVC. Fleece jersey reinforced cotton liner. Rough finish for improved grip. Fully coated 35cm PVC cuff



XTRA HEAVY DUTY PVC GLOVES 27CM XTRA/27

High abrasion, cut, chemical, and heat resistance. Fully coated extra heavy duty PVC. Fleece jersey reinforced cotton liner. Rough finish for enhanced grip. Fully coated 27cm PVC cuff



CRONUS KNIT WRIST CRONUS/KW

Protects against acids, oils, fats, caustics, and petroleum hydrocarbons. Excellent abrasion and tear resistance. Good grip in wet, greasy, oily, and dry environments. Polyester interlock jersey lining for comfort and warmth. Fully coated PVC gloves with rough palm. Polyester cotton lining. 5.5cm knit wrist cuff

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR



CRONUS HI-VIS PVC CRONUS/W

Protects against acids, oils, fats, caustics, and petroleum hydrocarbons
Excellent abrasion and tear resistance
Good grip in wet, greasy, oily, and dry conditions. Soft and warm polyester interlock jersey lining. Fully coated lime green PVC gloves with rough palm.
Polyester cotton lining. 27cm length with 7.5cm open cuff



CRONUS HI-VIS PVC ELBOW GLOVES CRONUS/E

Protects against acids, oils, fats, caustics, and petroleum hydrocarbons
Excellent abrasion and tear resistance
Good grip in wet, greasy, oily, and dry conditions. Soft and warm polyester interlock jersey lining. Fully coated lime green PVC gloves with rough palm.
Polyester cotton lining. 35cm elbow glove with a 16 cm open cuff



HI-VIS PVC STOP & GO GLOVES CRONUS/RGE

Protects against acids, oils, fats, caustics, and petroleum hydrocarbons
Excellent abrasion protection and tear resistance. Good grip in wet, greasy, oily, and dry environments. Soft, warm polyester interlock jersey lining. Stop and Go gloves for visual signaling in mining industry
35cm elbow-length glove with 16cm open cuff



HI-VIS PVC STOP & GO GLOVES CRONUS/RGW

Protects against acids, oils, fats, caustics, and petroleum hydrocarbons
Excellent abrasion protection and tear resistance. Good grip in wet, greasy, oily, and dry environments. Soft, warm polyester interlock jersey lining. Stop and Go gloves for visual signaling in mining industry
27cm Wrist glove with a 7.5 cm knit wrist cuff



**MEMPHIS FLEX
96731**

13 gauge gray nylon shell, Blue foam latex coated palm and fingertips, Good dexterity, comfort and fit



**FORCE FLEX
Y200**

Adjustable hook and loop wrist closure w/nylon pull tab, Injection molded TPR padding on the back of hand and fingers, Terrycloth on back of thumb for perspiration, Yellow mesh fabric backing



**CHEM-TECH
5409S**

28 mil blue neoprene over yellow latex, Flocked lined, Raised diamond grip palm side, 12 inches long, Chemical resistant gloves, Straight cuff, Component materials comply with all federal regulations for food contact



**ULTRA TECH
NITRILE KV 9693**

Black textured nitrile palm and fingertips, DuPont™ Kevlar® fiber, Durable and comfortable for long term wear, Good manual dexterity, Seamless knit, high comfort level, Touchscreen friendly, Treated with ActiFresh®, Wet or dry gripping power



**MEMPHIS
NEOMAX 6914**

Double dipped green neoprene glove, 100% cotton brushed interlock lining, 14 inch length, fully coated, Double dipped with green neoprene, Sandy finish aids with grip, Treated with ActiFresh®, Contact heat level 2 for temps less than 284 Fahrenheit, Component materials comply with all regulations for food contact



**MEMPHIS HERO
93861**

7-gauge shell with ARX® aramid fibers, Excellent puncture-resistant glove, High level of cut resistance, Rugged split leather shoulder grade palm



**WURTH CUT LEVEL
5 GLOVE 00899
451 35**

Universal, extremely comfortable cut protection glove with nitrile foam coating specially for dry work conditions

Gauge: 13, Material of liner: HPPE,
Material of coating: Nitrile foam,
Standards: EN 388, EN 420, Cut resistance according to ISO 13997: C, Category: II

Terms and Conditions:

- Minimum order quantity might apply
- Please check stock availability before purchase
- Please note made to order items will have a lead time - please confirm the lead time before purchase
- Standard terms and conditions apply.

When receiving/downloading our catalogues you accept/acknowledge that some items displayed in the catalogue might have different lead/delivery times than usual or may temporarily be out of stock or permanently discontinued.

We appreciate your understanding. Please feel free to email us at info@saharaworkwear.com if you have any queries

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

COPYRIGHT © 2025 SAHARA WORKWEAR