SHEQ SAFETY

WOMEN IN MINING CATALOGUE



GAUTENG

+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

ARC PROTECTION

15 CAL LADIES ARC SUIT - DWL-ARC15-J / P



Sizes: Jackets: XS - 5XL, Pants: S - 5XL

Product Information

ATPV 15cal/cm2
Full triple needle topstitched garment
YKK Concealed brass zips on jackets & pants
Flame retardant hook & loop closures
Flame retardant knitted rib cuffing
Three jacket pockets with mitred flap, flame retardant hook & loop closure & side swing pockets on pants
cal/cm2 Rating embroidery on jacket & pants
50mm Flame retardant reflective tape on arms & legs

Product Rating

IEC 61482-1-1
IEC 61482-1-2
NFPA 2112
NFPA 70E
SANS 724
ASTM F1959
ASTM F2621-12
EN 11611:2015
EN 11612:2015
EN 61482-1-2:2014
CE 0338:2016

Composition

Dromex A.P.T Fabric 305gsm
88% Cotton, 12% Nylon,
Flame retardant thread throughout

Suitable For Use

Mining
Refineries
Substations
Switchrooms
Utilities
Power Generators
Industrial Electrical Maintenance
Chemical Industry

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

COLD WEATHER PROTECTION

STANDARD JACKET - BJ2TPNLOCAL



Standard Jacket 2-tone Pink and Navy (Local)
•Bunny jacket 2 tone navy blue 240gsm polycotton 240gsm polycotton pink.
•Econo wash 50mm silver tape
•The jacket has detachable sleeves and fleece lining

Sizes: S to 5XL

THERMAL SLAXLINER L BLK



•Premium Material: crafted from 220g 100% carded cotton interlock fabric.
•Layering Compatibility.
•Thermal Insulation.
•Specifically tailored for women, ensuring a comfortable and flattering fit for all-day wear.
•Durable Construction: Constructed with durability in mind, ensuring long-lasting performance and comfort.
•Easy Care: Machine washable for convenient cleaning and maintenance, allowing for hassle-free care after repeated wear.
•Elastic Waistband: Features an elastic waistband for a comfortable and secure fit, ensuring the slaxliner stays in place during movement.
Sizes: XS to 5XL

THERMAL SLAXLINER L RBLUE



•Premium Material: crafted from 220g 100% carded cotton interlock fabric.
•Layering Compatibility.
•Thermal Insulation.
•Specifically tailored for women, ensuring a comfortable and flattering fit for all-day wear.
•Durable Construction: Constructed with durability in mind, ensuring long-lasting performance and comfort.
•Easy Care: Machine washable for convenient cleaning and maintenance, allowing for hassle-free care after repeated wear.
•Elastic Waistband: Features an elastic waistband for a comfortable and secure fit, ensuring the slaxliner stays in place during movement.
Sizes: XS to 5XL

THERMAL SLAXLINER L WHT



•Premium Material: crafted from 220g 100% carded cotton interlock fabric.
•Layering Compatibility.
•Thermal Insulation.
•Specifically tailored for women, ensuring a comfortable and flattering fit for all-day wear.
•Durable Construction: Constructed with durability in mind, ensuring long-lasting performance and comfort.
•Easy Care: Machine washable for convenient cleaning and maintenance, allowing for hassle-free care after repeated wear.
•Elastic Waistband: Features an elastic waistband for a comfortable and secure fit, ensuring the slaxliner stays in place during movement.
Sizes: XS to 5XL

THERMAL SLAXLINER L RIBBED BLK



•Premium Material: crafted from 220g 100% carded cotton interlock fabric.
•Layering Compatibility.
•Thermal Insulation.
•Specifically tailored for women, ensuring a comfortable and flattering fit for all-day wear.
•Durable Construction: Constructed with durability in mind, ensuring long-lasting performance and comfort.
•Easy Care: Machine washable for convenient cleaning and maintenance, allowing for hassle-free care after repeated wear.
•Ribbed Ankle: Features a ribbed ankle design for added style and a secure fit, preventing heat loss
•Elastic Waistband: Features an elastic waistband for a comfortable and secure fit, ensuring the slaxliner stays in place during movement.
Sizes: XS to 5XL

THERMAL SLAXLINER L RIBBED RBLUE



•Premium Material: crafted from 220g 100% carded cotton interlock fabric.
•Layering Compatibility.
•Thermal Insulation.
•Specifically tailored for women, ensuring a comfortable and flattering fit for all-day wear.
•Durable Construction: Constructed with durability in mind, ensuring long-lasting performance and comfort.
•Easy Care: Machine washable for convenient cleaning and maintenance, allowing for hassle-free care after repeated wear.
•Ribbed Ankle: Features a ribbed ankle design for added style and a secure fit, preventing heat loss
•Elastic Waistband: Features an elastic waistband for a comfortable and secure fit, ensuring the slaxliner stays in place during movement.
Sizes: XS to 5XL

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

COLD WEATHER PROTECTION

THERMAL VEST L L/S BLK



•Tailored specifically for women, ensuring a comfortable and flattering fit.
•Thermal Insulation: Constructed from 220g carded cotton interlock fabric, offering superior warmth in cold temperatures.
•Designed to be worn comfortably under clothing for additional warmth.
•Soft and Comfortable: Made from 100% carded cotton, providing natural breathability and softness against the skin.
Sizes: XS to 5XL

THERMAL VEST L L/S RBLUE



•Tailored specifically for women, ensuring a comfortable and flattering fit.
•Thermal Insulation: Constructed from 220g carded cotton interlock fabric, offering superior warmth in cold temperatures.
•Designed to be worn comfortably under clothing for additional warmth.
•Soft and Comfortable: Made from 100% carded cotton, providing natural breathability and softness against the skin.
Sizes: XS to 5XL

THERMAL VEST L RIBBED L/S BLK



•Tailored specifically for women, ensuring a comfortable and flattering fit.
•Thermal Insulation: Constructed from 220g carded cotton interlock fabric, offering superior warmth in cold temperatures.
•Designed to be worn comfortably under clothing for additional warmth.
•Ribbed Cuffs: Features ribbed cuffs for a secure fit and added insulation around the wrists.
•Soft and Comfortable: Made from 100% carded cotton, providing natural breathability and softness against the skin.
Sizes: XS to 5XL

THERMAL VEST L RIBBED L/S RBLUE



•Tailored specifically for women, ensuring a comfortable and flattering fit.
•Thermal Insulation: Constructed from 220g carded cotton interlock fabric, offering superior warmth in cold temperatures.
•Designed to be worn comfortably under clothing for additional warmth.
•Ribbed Cuffs: Features ribbed cuffs for a secure fit and added insulation around the wrists.
•Soft and Comfortable: Made from 100% carded cotton, providing natural breathability and softness against the skin.
Sizes: XS to 5XL

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

EYE PROTECTION

UVEX U-SONIC 9308145



Product Rating: DIN EN 166 + DIN EN 170
grey, lime + lens PC clear
supravision excellence
clear
medium 120 m/s impact
resistant
anti-fog inside
anti-scratch outside
adjustable band
small face

UVEX PHEOS CX2 SONIC 9309275



Product Rating: DIN EN 166 + DIN EN 170
white/black frame + lens PC clear
uvex supravision extreme
clear
medium 120 m/s impact
resistant
extreme anti-fog inside
extreme anti-scratch
outside
adjustable band
small face

UVEX PHEOS CX2 SONIC 9309286



Product Rating: DIN EN 166 + DIN EN 172
white/black frame + lens PC grey
uvex supravision extreme
grey
medium 120 m/s impact
resistant
extreme anti-fog inside
extreme anti-scratch
outside
adjustable band
small face

BANDIDO SAFETY GLASSES BANPSF



Made entirely of highly-resistant polycarbonate, BANDIDO is the perfect value option.
– Wrap-around frame
– Reinforced bridge



RUSH + SMALL RUSHPSPSIS



With its sporty design an bi-material temples RUSH+ SMALL is specially designed for narrow faces.
+ Bi-material, ultra-flexible coloured temples
+ Non-slip adjustable bridge
+ Upper protection
+ PLATINUM coating : anti-scratch & anti-fog



BANDIDO SAFETY GLASSES BANCI



Made entirely of highly-resistant polycarbonate, BANDIDO is the perfect value option.
– Wrap-around frame
– Reinforced bridge



GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

EYE PROTECTION

SLAM SAFETY GLASSES SLAPSI



Stylish and easy-to-wear, the Slam model provides protection at all times while offering unbeatable comfort. – Ultra wrap-around fit – All-round field of vision – Wide range of lens shades for multiple applications
– Ultra wrap-around fit
– All-round field of vision
– Wide range of lens shades for multiple applications



SLAM SAFETY GLASSES SLAWPCC3



Stylish and easy-to-wear, the Slam model provides protection at all times while offering unbeatable comfort. – Ultra wrap-around fit – All-round field of vision – Wide range of lens shades for multiple applications
– Ultra wrap-around fit
– All-round field of vision
– Wide range of lens shades for multiple applications



SLAM SAFETY GLASSES SLAESP



Stylish and easy-to-wear, the Slam model provides protection at all times while offering unbeatable comfort. – Ultra wrap-around fit – All-round field of vision – Wide range of lens shades for multiple applications
– Ultra wrap-around fit
– All-round field of vision
– Wide range of lens shades for multiple applications



SLAM SAFETY GLASSES SLAWPCC5



Stylish and easy-to-wear, the Slam model provides protection at all times while offering unbeatable comfort. – Ultra wrap-around fit – All-round field of vision – Wide range of lens shades for multiple applications
– Ultra wrap-around fit
– All-round field of vision
– Wide range of lens shades for multiple applications



BLAST SAFETY GOGGLES BLFAPSI



Unbeatable comfort and essential modular design.
– With or without foam (according to versions)
– All-round vision
– Ball-pivot
– Adjustable strap
– Overflow chute for liquids
– Fits over prescription glasses
– Compatible with half-mask respirator

BLAST SAFETY GOGGLES BLAPSI



Unbeatable comfort and essential modular design.
– With or without foam (according to versions)
– All-round vision
– Ball-pivot
– Adjustable strap
– Overflow chute for liquids
– Fits over prescription glasses
– Compatible with half-mask respirator

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

EYE PROTECTION

BLAST SAFETY GOGGLES BLARSI

bollé SAFETY



Unbeatable comfort and essential modular design.
– With or without foam (according to versions)
– All-round vision
– Ball-pivot
– Adjustable strap
– Overflow chute for liquids
– Fits over prescription glasses
– Compatible with half-mask respirator

BLAST SAFETY GOGGLES BLEPSI

bollé SAFETY



Unbeatable comfort and essential modular design.
– With or without foam (according to versions)
– All-round vision
– Ball-pivot
– Adjustable strap
– Overflow chute for liquids
– Fits over prescription glasses
– Compatible with half-mask respirator

BL15 SAFETY GOGGLES BL15APSI

bollé SAFETY



Simple, effective and ergonomic, the BL150 goggles' PVC frame, allows for a great full-on protection. Its design makes it fit comfortably and ensures stays protected all day long. B-LINE is a range of safety eyewear accessible to all and is adapted to the most common industrial risks.

+ Flexible and sealed frame
+ Available with an anti-fog & anti-scratch coating
+ Adjustable tightening elastic
+ Vented version

BL15 SAFETY GOGGLES BL15API

bollé SAFETY



Simple, effective and ergonomic, the BL150 goggles' PVC frame, allows for a great full-on protection. Its design makes it fit comfortably and ensures stays protected all day long. B-LINE is a range of safety eyewear accessible to all and is adapted to the most common industrial risks.

+ Flexible and sealed frame
+ Available with an anti-fog & anti-scratch coating
+ Adjustable tightening elastic
+ Vented version

PILOT SAFETY GOGGLES PILOCSP

bollé SAFETY



Its co-injected, ventilated frame guarantees unequalled adaptability and comfort.
PILOT goggle is now available for fire fighting with its co-injected sealed frame that guarantees adaptability and unequalled comfort.
– Excellent field of vision
– Very flexible PP/TPR frame
– Adjustable strap (adjustable flame retardant strap for PILOFCSP)
– Fits over prescription glasses
– Platinum® Anti-scratch & anti-fog coating
– Sealed frame (PILOFCSP)

PILOT SAFETY GOGGLES PILOFCSP

bollé SAFETY



Its co-injected, ventilated frame guarantees unequalled adaptability and comfort.
PILOT goggle is now available for fire fighting with its co-injected sealed frame that guarantees adaptability and unequalled comfort.
– Excellent field of vision
– Very flexible PP/TPR frame
– Adjustable strap (adjustable flame retardant strap for PILOFCSP)
– Fits over prescription glasses
– Platinum® Anti-scratch & anti-fog coating
– Sealed frame (PILOFCSP)

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

EYE PROTECTION

CHRONOSOFT SAFETY GOGGLES CHROKADESI



Ideal for fire fighting, Chronosoft goggles offer high-end innovation. The elastomer frame withstands extreme heat. The double lens features the EQUALIZER system for effective fog protection.
- Ballistic Resistance: STANAG 2920
- Elastomer frame that withstands extreme heat
- Double-lens for increased protection from fire, fogging and all extreme conditions
- Wide, adjustable fireproof strap
- High-comfort sealed frame

COBRA SAFETY GOGGLES COBFSPSI



With its easy-to-clean neoprene strap and its built-in TPR foam, this goggle kit is especially suitable for clean industries and the agro-food industry.
- High strength goggles
- Isoprene strap and TPR comfort seal
- Platinum® coating
- Compact, lightweight and panoramic
- 100% sealed

COBRA SAFETY GOGGLES COBTPRPSI



With its easy-to-clean neoprene strap and its built-in TPR foam, this goggle kit is especially suitable for clean industries and the agro-food industry.
- High strength goggles
- Isoprene strap and TPR comfort seal
- Platinum® coating
- Compact, lightweight and panoramic
- 100% sealed

PILOT SAFETY GOGGLES PILOPSF



Its co-injected, ventilated frame guarantees unequalled adaptability and comfort.
PILOT goggle is now available for fire fighting with its co-injected sealed frame that guarantees adaptability and unequalled comfort.
- Excellent field of vision
- Very flexible PP/TPR frame
- Adjustable strap (adjustable flame retardant strap for PILOFCSP)
- Fits over prescription glasses
- Platinum® Anti-scratch & anti-fog coating
- Sealed frame (PILOFCSP)

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

EYE PROTECTION

INDOOR/OUTDOOR USERS CHOICE ES006(CLEAR)

KARAM Africa



Unique wrap-around design for better coverage.
Adjustable temple length within a range of 14mm to customize the fit on the user's head.
Equipped with specially designed soft nose-pad to provide extra comfort.
Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested.
Tested for disinfection, increased robustness.
Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No. Clear: 3-1.2
Weight: 34 gms approx
Lens Shade OptionsClear, Indoor/Outdoor, Smoked, Clear antifog
Certified to: Conforms to EN 166:2001 ANSI Z 87.1-2015

INDOOR/OUTDOOR USERS CHOICE ES 006 (SMOKED)

KARAM Africa



Unique wrap-around design for better coverage.
Adjustable temple length within a range of 14mm. Equipped with specially designed soft nose-pad to provide extra comfort.
Smoked lens model also provides optimum protection against harmful UV radiation.
Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness.
Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No. Clear: 3-1.2
Indoor/Outdoor:5-1.7
Weight: 34 gms approx
Lens Shade OptionsClear, Indoor/Outdoor, Smoked, Clear antifog
Certified to: Conforms to EN 166:2001 ANSI Z 87.1-2015

EXECUTIVE'S CHOICE ES005 (CLEAR)

KARAM Africa



Extremely light in weight with a hard-coated lens for scratch resistance.
Wrap-around design for better coverage.
Adjustable temple length within a range of 14mm.
Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested.
Tested for disinfection, increased robustness.
Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No. Clear: 3-1.2
Weight: 26 gms approx
Lens Shade Options: Clear, Clear antifog, Smoked
Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

EXECUTIVE CHOICE ES015 (CLEAR) BLUE

KARAM Africa



- Offers exceptional impact resistance with excellent vision.
- Adjustable temple length within a range of 15mm to customize the fit on the user's head.
- Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested.
- Tested for disinfection, increased robustness.

Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No.
• Clear: 3-1.2
Weight
30 gms approx
Lens Shade Options
Clear antifog, Smoked/Antifog
Certified to
EN 166:2001 ANSI Z87.1-2015

CONSTRUCTION WORKERS CHOICE ES 001(CLEAR)

KARAM Africa



Extremely light weight with a flexible temple to ensure a snug fit on all users.
Unique wrap-around design for better coverage.
Provided with a clock on the temple to display month and year of manufacturing.
Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested.
Tested for disinfection, increased robustness.
Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No. Clear: 3-1.2
Weight: 26 gms approx
Lens Shade Options: Clear, Smoked, Clear Antifog
Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

EXECUTIVE CHOICE ES015 (SMOKED) ANTIFOG

KARAM Africa



- Offers exceptional impact resistance with excellent vision.
- Adjustable temple length within a range of 15mm to customize the fit on the user's head.
- Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested.
- Tested for disinfection, increased robustness.

Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No.
• Smoked: 5-3.1
Weight
30 gms approx
Lens Shade Options
Clear antifog, Smoked/Antifog
Certified to
EN 166:2001 ANSI Z87.1-2015

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

EYE PROTECTION

EXECUTIVE'S CHOICE ES005 (SMOKED)

KARAM Africa



Extremely light in weight with a hard-coated lens for scratch resistance.
Wrap-around design for better coverage.
Adjustable temple length within a range of 14mm.
Smoked lens model also provides optimum protection against harmful UV radiation.
Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested.
Tested for disinfection, increased robustness.
Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No. Smoked: 5-3.1
Weight: 26 gms approx
Lens Shade Options: Clear, Clear antifog, Smoked
Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

CONSTRUCTION WORKERS CHOICE ES001(SMOKED)

KARAM Africa



Extremely light weight with a flexible temple to ensure a snug fit on all users.
Unique wrap-around design for better coverage.
Smoked lens model also provides optimum protection against harmful UV radiation.
Provided with a clock on the temple to display month and year of manufacturing.
Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness.
Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.
Lens Scale No. Smoked: 5-3.1
Weight: 26 gms approx
Lens Shade Options: Clear, Smoked, Clear Antifog
Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

CHEMICAL ENVIRONMENT USER'S CHOICE ES009

KARAM Africa



Comes with a unique wrap-around design
Smoked lens model also provides optimum protection against harmful UV radiation.
Has a soft PVC shroud around the lens to ensure 100% sealing of the eyes against chemical and liquid splashes.
The shroud has 4 ventilation caps, 2 on the top and 2 at the bottom of the frame.
These are special one-way vents which allow air movement while keeping harmful liquid-splashes out.
Has a fully adjustable elastic head-band for a snug fit.
Tested at elevated temperatures, resistant to ignition and optically tested.
Tested for disinfection, increased robustness.
Material of Lens: High Impact resistant optical class 1 lens.
Lens Scale No. Clear: 3-1.2, Smoked: 5-3.1
Weight: 70 gms approx
Lens Shade Options: Clear, Smoked

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

FACE PROTECTION

FACE SHIELD ELVEX LENS LEXAN CLR FS-18L



Lexan® (trademark of SABIC IP), is a superior quality, optical grade, highly impact resistant and heat tolerant material (up to 129°C) with limited scratch resistance.
Lexan® offers UV absorption characteristics 99% between 180-380 nm.
Lexan® face shields offer optimal performance in a variety of sizes and application types

FACE SHIELD ELVEX LENS LEXAN GRN FS-18LG



Lexan® (trademark of SABIC IP), is a superior quality, optical grade, highly impact resistant and heat tolerant material (up to 129°C) with limited scratch resistance.
Lexan® offers UV absorption characteristics 99% between 180-380 nm.
Lexan® face shields offer optimal performance in a variety of sizes and application types

FACE SHIELD CLR 1MM BROWGUARD



Flip up brow guard with adjustable fastening side knobs. Headgear with automatic locking ratchet adjustment system. Tricot cushion sweatband.
5 Point adjustment on the crown strap. 3-point lens attachment. One size fits all: 50cm – 64cm. 80g 305mm x 205mm x 1mm polycarbonate lens. 94g 305mm x 240mm x 1mm deep polycarbonate lens.
Flip up brow guard with a 3-point adjustment on the resting position.
Materials: Polypropylene brow guard, side adjustments, gear housing, and gears. HDPE headband. Acetyl side screws.
COMPLIANCE: 1mm Polycarbonate LEXAN 9030TG, DIN EN 166: 2001, Annex II of the PPE-Directive 89/686/EEC, Optical class: 1, Protection against high-speed particles, medium energy impact(B)

FACE SHIELD CLR 3MM ALUM CAP ATTCH. FSC/3G



Aluminium Cap Attachment complete with Clear Visor
3mm Clear Lens
The poly-carbonate lenses are Chemical Resistant

FACE SHIELD GRN 3MM ALUM ATTACHMENT



Heat-reflective face shields are intended to shield the entire face from a range of heat hazards. Specific hazards associated with heat include high temperatures, splash from molten metal, and hot sparks.
Aluminium Cap Attachment
Two Aluminium frames bolted together with a ratchet system that can swivel ±180° backwards. Fits most safety Jockey Caps that are manufactured in S.A.
Visor – 3mm Green Plexiglass
The 3mm Green Plexiglass Visor is moulded to an Aluminium frame shape.
The visor is bolted to the Aluminium frame with five bolts.
It has a working temperature of ±80°.
Visor Size : 400x250x3mm

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

FALL PREVENTION

STANDARD HARNESS: DOUBLE LEG LANYARD WITH SCAFFOLDING HOOKS HARN01221



SANS 50354 / 50355 / 50361 / 50362
This is a standard harness with non-specialised features developed specifically for women. The double leg lanyard improves safety to the wearer by allowing them to remain attached to at least one anchor point at all times.
Webbing: 45mm UV-resistant polyester webbing with a min. breaking load of 2,6 tonnes.
Chest Strap: 45mm UV-resistant elastic webbing.
Buckles: Interlocking, corrosion-resistant steel buckles.
Hooks: Corrosion-resistant, Scaffolding Hooks with a 50mm gate opening.
Adjustments: Leg and Elasticated Chest Straps.
Sizing: One Size Fits All

STANDARD HARNESS: DOUBLE LEG LANYARD WITH SNAP HOOKS HARN01211



SANS 50354 / 50355 / 50361 / 50362
This is a standard harness with non-specialised features develop specifically for women. The double leg lanyard improves safety to the wearer by allowing them to remain attached to at least one anchor point at all times.
Webbing: 45mm UV-resistant polyester webbing with a min. breaking load of 2,6 tonnes.
Chest Strap: 45mm UV-resistant elastic webbing.
Buckles: Interlocking, corrosion-resistant steel buckles.
Hooks: Corrosion-resistant, Snap Hooks with a 20mm gate opening.
Adjustments: Leg and elasticated chest straps.
Sizing: One Size Fits All

STANDARD HARNESS: SINGLE LEG LANYARD WITH SNAP HOOK HARN01111



SANS 50354 / 50355 / 50361 / 50362
This is a standard harness with non-specialised features developed specifically for women. Allow the individual to move freely without ever needing to disconnect from the anchor point.
Webbing: 45mm UV-resistant polyester webbing with a min. breaking load of 2,6 tonnes.
Chest Strap: 45mm UV-resistant elastic webbing.
Buckles: Interlocking, corrosion-resistant steel buckles.
Hooks: Corrosion-resistant, Scaffolding Hook with a 50mm gate opening.
Adjustments: Leg and elasticated chest straps.
Sizing: One Size Fits All

BELTED HARNESS: DOUBLE LEG LANYARD WITH SCAFFOLDING HOOKS HARN02221



SANS 50354 / 50355 / 50361 / 50362
This is a belted harness with non-specialized features specifically for women. The double leg lanyard improves safety to the wearer by allowing them to remain attached to at least one anchor point.
Webbing: 45mm UV-resistant polyester webbing with a min. breaking load of 2,6 tons.
Chest Strap: 45mm UV-resistant elastic webbing.
Buckles: Interlocking, corrosion-resistant steel buckles.
Hooks: Corrosion-resistant, Scaffolding Hooks with a 50mm gate opening.
Adjustments: Shoulder, Leg, Waist and Elasticated Chest Straps
Sizing: One Size Fits All

ALPHA – MAGNA 1(W)



Unique label protector
Locking indicator on automatic buckles
Bend aluminium D-rings
Metal fittings capable of taking the salt spray test of more than 500 hours
Elasticated loops
Adjustment buckles
Comfortable and breathable padding
The all-new registered design of webbing
Heavy duty webbing
Re-engineered registered stitching pattern
CED coating on all metal fittings for best corrosion resistance
Certification: EN 361:2002



GAMMA – PN22(W)



Safety Harness with 3 Adjustments & 2 Attachment Points
CED coating on all metal fittings for best corrosion resistance
Metal fittings capable of taking the salt spray test of more than 500 hours
Retro-reflective thread
Improvised registered webbing design
Unique aesthetic registered stitching pattern
Bigger dia lateral D-rings
Unique label protector
Ergonomic and durable ID plate
Heavy duty webbing
Certification: EN 361:2002, AS/NZS 1891.1:2020, IS 3521(Part 1):2021



GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

FALL PREVENTION

BETA – PN42(03)(W)



KARAM Africa

Tower Climbing Harness with 4 Adjustment & 3 Attachment Points
CED coating on all metal fittings for best corrosion resistance
Metal fittings capable of taking the salt spray test of more than 500 hours
Retro-reflective thread
Improvised registered webbing design
Unique aesthetic registered stitching pattern
Bigger dia lateral D-rings
Unique label protector
Ergonomic and durable ID plate
Heavy duty webbing
Certification: EN 361:2002, EN 358:2018



PADDED CAP LAMP BELT



The padded cap lamp belt comes with padding around the waist for extra comfort, and is used to carry a cap lamp and self-rescue pack or first aid pouch when going underground.
Material Information - 50mm Silver Reflective Orange Webbing.
- Buckles. - 2 x 38mm Battery Strap & Self-Rescue Strap. - Available Sizes: Small-5Xlarge.
- Padded waist.
- 50mm Silver Reflective Orange Shoulder Straps.

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

CATE - 54002





Sizes: 2 - 9
Colours: Black
Sole Shape: Standard
EN / ISO 20345
Upper: Full Grain Leather
Padded Collar and tongue for enhanced comfort and support, 3 pair rust-resistant D-ring lace-up with 1 pair hooks for quick removal of boot
Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility
Anti-bacterial energizer top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency
Midsole: Shank reinforcement for arch support. Available with a Steel midsole – 54702 (6 - 8 week lead time)
Sole: Dual Density PU/PU (Heat-resistant up to 95°C)
Toe Cap: Steel toe cap

JENNIFER - 55005





Sizes: 3 - 8
Colours: Black with Pink trim
Sole Shape: Standard
SANS/ISO 20345 NRCS/9002/287766/0153
Upper: Full Grain Leather
Padded Collar and tongue from mesh fabric for enhanced comfort, breathability and support, 5 pair rust-resistant eyelet lace-up
Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility, Anti-bacterial energizer top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency
Midsole: Shank reinforcement for arch support. Available with an anti-penetration midsole – 55605 (6-8 week lead time)
Sole: Dual Density PU/PU (Heat-resistant up to 95°C)
Toe Cap: Steel toe cap

REESE - 55006





Sizes: 3 - 8
Colours: Black with Pink trim
Sole Shape: Standard
SANS/ISO 20345 NRCS/9002/287766/0152
Upper: Full Grain Leather, Padded Collar and tongue from mesh fabric for enhanced comfort, breathability and support
7 pair rust-resistant eyelet lace-up
Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility
Anti-bacterial energizer top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency
Midsole: Shank reinforcement for arch support. Available with an anti-penetration midsole – 55606 (6-8 week lead time)
Sole: Dual Density PU/PU (Heat-resistant up to 95°C)
Toe Cap: Steel toe cap

PARIS - 51003





Sizes: 3 - 8
Colours: Black
Sole Shape: Standard
SANS/ISO 20345 NRCS/9002/287766/0132
Upper: Full Grain Leather, Elastic side gussets for ease of entry and exit of the shoe, Padded collar for enhanced comfort and support
Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility, Anti-bacterial energiser top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency
Midsole: Shank reinforcement for additional arch support
Sole: Single density Polyurethane (Heat-resistance up to 95°C)
Toe Cap: Steel toe cap
Available in non-steel toe cap - 51503 (6 - 8 week lead time)

SYDNEY - 51005





Sizes: 3 - 8
Colours: Black/Brown
Sole Shape: Standard
SANS/ISO 20345 NRCS/9002/28776/0135
Upper: Full Grain Leather
Elastic side gussets with pull straps for ease of entering and exiting the boot
Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility, Anti-bacterial energiser top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency
Midsole: Shank reinforcement for additional arch support
Sole: Single density Polyurethane (Heat-resistance up to 95°C)
Toe Cap: Steel toe cap

VENICE - 51002





Sizes: 3 - 8
Colours: Black
Sole Shape: Standard
SANS/ISO 20345
NRCS/9002/287766/0110
Upper: Full Grain Leather, Padded collar for enhanced comfort and support
4 Pair rust-resistant eyelet lace-up
Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility
Anti-bacterial energiser top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency
Midsole: Shank reinforcement for additional arch support
Sole: Single density Polyurethane (Heat-resistance up to 95°C)
Toe Cap: Steel toe cap
Available in non-steel toe cap 51502(6 - 8 week lead time)

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

NICOLE - 54001





Sizes: 2 - 9
Colours: Black
Sole Shape: Standard
EN / ISO 20345
NRCS/9002/287766/223
Upper: Full Grain Leather, Padded Collar from mesh fabric for enhanced comfort, breathability and support
4 pair punch hole lace-up
Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility
Anti-bacterial energizer top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency
Midsole: Shank reinforcement for arch support. Available with a Steel midsole – 54701 (6 - 8 week lead time)
Sole: Dual Density PU/PU (Heat-resistant up to 95°C)
Toe Cap: Steel toe cap

DAISY - DAI



Sizes: 2, 3, 4, 5, 6, 7, 8
Colours: Black
A slip on style safety boot for convenient wear. The Daisy offers secure and stylish comfort.
SB | SRA
Genuine Smooth Split Buffalo Leather
Steel toe cap
Dual density PU sole

NEON - NEO



Sizes: 2, 3, 4, 5, 6, 7, 8
Colour: Black
The Neon combines traditional safety with a feminine, elegant and sleek design allowing women to stand head to head and heel to heel with their male colleagues.
SB | SRA
Lightweight and flexible Dual density PU sole
Shock absorbent heel
Slip Resistant

JASMINE - JAS



Sizes: 2, 3, 4, 5, 6, 7, 8
Colours: Black
Absolute comfort and safety. The Jasmine offers extra collar padding for support, along with full ankle-height lacing for security. You'll never want to stop on site without them.
SB | SRA
Genuine Nubuck Split Buffalo Leather
Steel toe cap
Extra padded collar for comfort

LILY - LIL



Sizes: 2, 3, 4, 5, 6, 7, 8
Colours: Black
While providing an extra soft breathable inner lining and low cut comfort, the Lily offers a light weight experience for many more comfortable hours on the feet.
SB | SRA
Genuine Nubuck Split Buffalo Leather
Steel toe cap
Extra padded collar for comfort

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

LADIES LIGHT INDUSTRIAL - RE941

REBEL SAFETY GEAR



The Ladies light Industrial shoe features a modern, sleek and sporty designed upper which includes a combination of grey oxford mesh and a Nubuck back guard with TPU Trim resulting in excellent fit and comfort. It is a lightweight, stylish safety shoe with a 200J steel toe cap and electrostatic discharge properties (ESD). The Ladies Light Industrial shoe is available in a men's colour option and is ISO 20345 approved.
Colour: Grey
Shoe Size: 2, 3, 4, 5, 6, 7, 8
Gender: Ladies
Material: Oxford mesh and Leather
Technical Feature: 200J Steel toe, Anti-static, Electrostatic discharge, Microfiber, Oil resistant, Shock absorbent, Slip resistant
Industry: Engineering, Food, General Applications, Hospitality, Janitorial services, Medical and Pharmaceutical, Motor industry, Production lines, Transport

LADIES RUGGED - RE22107

REBEL SAFETY GEAR



An important feature of this boot is its Wellmax non-metallic anti-penetration board which provides maximum protection. The polyurethane(PU) midsole and rubber outsole make this boot heat resistant up to an impressive 300 °C and has a SRA classification for slip resistance.
They are ISO 20345 and NRCS approved.
Colour: black colour with stylish blue trim and grey accent
Shoe Size: 2, 3, 4, 5, 6, 7, 8
Gender: Ladies
Material: Microfiber, Moulded polyurethane (PU), Rubber
Technical Feature: 200J Composite Non-Metallic Toe Cap, Anti-penetration, Anti-static, Heat resistant 300°C, Microfiber, Oil resistant, Shock absorbent, Slip resistant, Water resistant
Industry: Chemical and petrochemical, Engineering, General Applications, Mining, Refineries

NALA LACE-UP - RE129

REBEL SAFETY GEAR



The Nala is an ultra-comfortable ladies lace-up safety boot that features a high quality microfiber upper, 200J steel toe cap and slip resistant sole. The Nala is a slim ultra-comfortable safety boot and is ISO 20345 approved.
Colour: Black and Pink
Shoe Size: 2, 3, 4, 5, 6, 7, 8
Gender: Ladies
Material: Microfiber
Technical Feature: 200J Steel toe, Anti-static, Oil resistant, Shock absorbent, Slip resistant
Industry: Agriculture, Chemical and petrochemical, Construction, Fishing and Allied industries, General Applications, Mining, Motor industry

ZARI - RE974

REBEL SAFETY GEAR



The Zari is an elegant ladies safety shoe that features a convenient and easy-to-use strap with hook and loop tape in place of laces, a 200J steel toe cap and slip resistant sole. The Zari is an ultra-comfortable shoe that is ISO 20345 approved.
Colour: Black and Pink
Shoe Size: 2, 3, 4, 5, 6, 7, 8
Gender: Ladies
Material: Microfiber
Technical Feature: 200J Steel toe, Anti-static, Microfiber, Oil resistant, Shock absorbent, Slip resistant
Industry: General Applications, Janitorial services, Production lines

IMAN LACE-UP - RE682

REBEL SAFETY GEAR



The Iman is an ultra-comfortable ladies lace-up safety shoe that features a high quality microfiber upper, 200J steel toe cap, slip resistant sole and electrostatic discharge technology (ESD). The Iman is ISO 20345 approved.
Colour: Black and Pink
Shoe Size: 2, 3, 4, 5, 6, 7, 8
Gender: Ladies
Material: Microfiber
Technical Feature: 200J Steel toe, Anti-static, Electrostatic discharge, Microfiber, Oil resistant, Shock absorbent, Slip resistant
Industry: Construction, General Applications, Mining, Transport

KITO SLIP-ON - RE683

REBEL SAFETY GEAR



The Kito Slip-on Safety Shoe is an ultra-comfortable and elegant ladies safety shoe that features a 200J steel toe cap and slip resistant sole. High quality microfiber, polyurethane collar and an easy elasticated slip-on design. The Kito is ISO 20345 approved.
Colour: Black and Pink
Shoe Size: 2, 3, 4, 5, 6, 7, 8
Gender: Ladies
Material: Microfiber
Technical Feature: 200J Steel toe, Anti-static, Microfiber, Oil resistant, Shock absorbent, Slip resistant
Industry: Agriculture, Contract labour, Fishing and Allied industries, Food, General Applications, Hospitality, Janitorial services, Medical and Pharmaceutical, Motor industry, Production lines

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY FOOTWEAR

THULI CHELSEA - RE940



The Thuli is an ultra-comfortable and elegant ladies safety chelsea boot that features a 200J steel toe cap, slip resistant sole and is heat resistant up to 120° Celsius. The Thuli is ISO 20345 approved.
Colour: Black and Pink
Shoe Size: 2, 3, 4, 5, 6, 7, 8
Gender: Ladies
Material: Microfiber
Technical Feature: 200J Steel toe, Anti-static, Microfiber, Oil resistant, Shock absorbent, Slip resistant
Industry: Agriculture, Chemical and petrochemical, Engineering, Fishing and Allied industries, General Applications, Hospitality, Mining, Refineries

SUN - LS07



Stylish ladies Chelsea boot, super slip resistant and lightweight.
Standard ISO 20345:2014 tested to ISO 20344:2014
Easy to use slip-on with gusset elastic sides and pull-on tabs
Lightweight, SRC super slip resistant sole and abrasion resistant sole
Heat resistant to 90 degrees centigrade
Oil, acid, petrol & diesel resistant sole
Size Range: UK 2-9 Ladies
LOA Number: NRCS/9002/288043/0473
Specification: ISO 20345:2014
Applications: General, Construction, Engineering, Mining, Agriculture, Oil & Gas, Packing, Warehouse
Last/Fitting: Ladies specific fitting
Upper Material: Genuine leather
Sole Material: Dual density polyurethane
Toe Cap: Yes / 200 Joules
Inner Sole: Yes / Anti-static / ProFit ComFit PU Gel Foam Footbed

BLACK WIDOW - LS03R



Heavy duty, heat resistant, ladies boot.
Standard ISO 20345:2014 tested to ISO 20344:2014
4 sets of non-metal D-rings and 2 sets of speed-hooks for lacing
Non-conductive, non-marking, slip and abrasion resistant sole
300 degree heat resistant outer sole
Oil, acid, petrol & diesel resistant sole
Size Range: 2-9 Ladies
LOA Number: NRCS/9002/288043/0386
Specification: ISO 20345:2014
Applications: Heavy duty, Heat, Construction, Engineering, Agriculture and Industry
Last/Fitting: Wide fitting
Upper Material: Full Grain Leather
Sole Material: Dual Density Rubber/Polyurethane
Toe Cap: Yes / 200 Joules
Inner Sole: Yes / Arachna Comfort

REDBACK - LS04R



Heavy duty, heat resistant, ladies shoe.
Standard ISO 20345:2014 tested to ISO 20344:2014
3 sets of non-metal D-rings and 1 set of speed-hooks for lacing
Non-conductive, non-marking, slip and abrasion resistant sole
300 degree heat resistant outer sole
Oil, acid, petrol & diesel resistant sole
Size Range: 2-9 Ladies
LOA Number: NRCS/9002/288043/0391
Specification: ISO 20345:2014
Applications: Heavy duty, Heat, Construction, Engineering, Agriculture and Industry
Last/Fitting: Wide fitting
Upper Material: Full Grain Leather
Sole Material: Dual Density Rubber/Polyurethane
Toe Cap: Yes / 200 Joules
Inner Sole: Yes / Arachna Comfort

SCARLET - LS01R



Lightweight, ladies fitting, all round leather boot.
Standard ISO 20345:2011 tested to ISO 20344:2011
6 sets of D-rings for lacing
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Size Range: 2-9 Ladies
LOA Number: NRCS/9002/288043/0417
Specification: ISO 20345:2011
Applications: Construction, Engineering, Packaging, Warehousing, Manufacturing, General
Last/Fitting: Wide fitting
Upper Material: Genuine Leather
Sole Material: Dual Density Polyurethane
Toe Cap: Yes / 200 Joules
Inner Sole: Yes / Anti-static / Arachna Comfit Inner Sole

SILK - LS05



Stylish, super slip resistant, slip on ladies shoe.
Standard ISO 20345:2014 tested to ISO 20344:2014
Easy to use slip-on with gusset elastic sides, SRC super slip resistant, non-conductive and abrasion resistant sole
Heat resistant to 90 degrees centigrade
Oil, acid, petrol & diesel resistant sole
Size Range: UK 2-9 Ladies
LOA Number: NRCS/9002/288043/0470
Specification: ISO 20345:2014
Applications: Multipurpose, General, Hospitality, Food & Beverage, Packaging & Warehouses, Office to Factory Floor.
Last/Fitting: Ladies specific fitting
Upper Material: Genuine leather with soft padded collar
Sole Material: Dual density polyurethane
Toe Cap: Yes / 200 Joules
Inner Sole: Yes / Anti-static / ProFit ComFit PU Gel Foam Footbed

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

CHARLOTTE - LS02R



Lightweight, ladies fitting, all round leather shoe.
Standard ISO 20345:2011 tested to ISO 20344:2011
4 sets of D-rings for lacing
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Size Range: 2-9 Ladies
LOA Number: NRCS/9002/288043/0416
Specification: ISO 20345:2011
Applications: General, Construction, Engineering, Agriculture, Packaging and Warehousing
Last/Fitting: Wide fitting
Upper Material: Genuine Leather
Sole Material: Dual Density Polyurethane
Toe Cap: Yes / 200 Joules
Inner Sole: Yes / Anti-static / Arachna Comfit Inner Sole

GOLDEN ORB - LS08



Stylish, super slip resistant, slip on super lightweight ladies boot (without a steel toe cap).
Standard ISO 20345:2014 tested to ISO 20344:2014
Easy to use slip-on with gusset elastic sides and pull-on tabs
Lightweight, SRC super slip resistant sole, non-conductive and abrasion resistant sole
Heat resistant to 90 degrees centigrade
Oil, acid, petrol & diesel resistant sole
Size Range: UK 2-9 Ladies
LOA Number: 02 Occupational Footwear
Specification: ISO 20347:2014
Applications: Hospitality, Offices, Kitchens, Hotels, Laboratories,Agriculture, etc.
Last/Fitting: Ladies specific fitting
Upper Material: Genuine leather with soft padded sports mesh cushioned lining
Sole Material: Dual density polyurethane
Toe Cap: None

PORTIA - LS06



Stylish ladies Chelsea shoe, super slip resistant and super lightweight (without a steel toe cap).
Standard ISO 20347:2014 (02 Occupational Footwear)
Easy to use slip-on with gusset elastic sides
SRC super slip resistant and abrasion resistant sole
Heat resistant to 90 degrees centigrade
Oil, acid, petrol & diesel resistant sole
Size Range: UK 2-9 Ladies
LOA Number: 02 Occupational Footwear
Specification: ISO 20347
Applications: Hospitality, Offices, Kitchens, Hotels, Laboratories, Agriculture
Last/Fitting: Ladies specific fitting
Upper Material: Genuine leather with soft padded collar
Sole Material: Dual density polyurethane
Toe Cap: None
Inner Sole: Yes / Anti-static / ProFit ComFit PU Gel foam footbed

LADIES INNERSOLE - ISL1R



PU injected gel-foam footbeds are like walking on air.

> Pink front / pink back
> Biomechanical gel-foam footbed insole
> Insole in polybag
> Individually sized 2 to 9
> Order per required size

ARACHNA INSOLE - IS01R



Biomechanical memory foam footbeds with added arch support.

> Black front / yellow back
> Biomechanical footbed
> Insole in polybag
> Cut To Fit
> Sizes 2,3 / 4,5,6 / 7,8,9 / 10,11,12 / 13,14,15

COMFIT INSOLE - IS02R



PU injected gel-foam footbeds are like walking on air.

> Black front / orange back
> Biomechanical footbed
> Insole in polybag
> Individually sized 2 to 15
> Order per required size

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

WOMEN'S SOCKS - PSASB2R



Anti-bacterial with a high cotton content to help keep your feet dry.

> ONE SIZE FITS ALL
> 74% Cotton
> 24 % Polyamide Elastene
> 2% Silver

INDUSTRIAL ANKLE SOCK ACC13567



FOOTOLOGY
FOOTWEAR ACCESSORIES

ANTIBACTERIAL
NONIRRITANT
ANTISTATIC
MATERIAL COMPOSITION
• 72% Combed Cotton for enhanced comfort, durability and moisture absorption
• 25% Polyamide Fibre, providing excellent elasticity
• 2% Silver Fibre
HARMLESS TO NORMAL SKIN FLORA
ENVIRONMENTALLYFRIENDLY
Low pressure ribbed cuff
Unique blend of fibres for optimal performance
Reinforced heel
Flat seam & reinforced toe area
Anti-static fibres
Cushioned footbed

ELASTOPAN CLIMATE CONTROL INSOLE WITH PORON INSERTS-ACC13561



FOOTOLOGY
FOOTWEAR ACCESSORIES

Composition: PU Elastopan with a thickness of 3.5mm in front and 6mm in heel with a shore hardness between 15 -18. The insole includes a treated polyester birdseye lining. Poron cushioning inserts 6mm in heel and forepart
Size Range: 3 –15
Colour: Black
The Elastopan® Climate Control insole provides superior cushioning, lightweight comfort, breathability and durability. It includes an anatomical arch support to help alleviate foot fatigue and stressors due to biomechanics. A honeycomb bottom pattern construction and aerated channels in the forepart with Poron inserts in front and rear, provides added shock absorption and air flow to assist with cooling and drying. The anti-static stitching allows for the dissipation of electrostatic charge.

PORON EVA CUSHIONED TOP SOCK - ACC12919

BOVA



The top sock responds to temperature and weight and moulds to the shape of each wearer's foot, thereby providing optimum support where it is needed most. It provides dynamic impact compression, which gently rebounds with every step. The EVA is bonded to a highly absorbent 100% wool and treated with an Ultra-Fresh DM-25-WP process. This has the advantage of fighting fungal and bacterial infections, minimising conditions such as Athlete's foot.
Greater comfort
Shock absorption
Reduction in fatigue
Reduction of aches and pains
Increased foot health
This product is tested to ASTM E-2149-01 mod.

ENERGISER TOP SOCK - ACC13057

BOVA



These socks are recommended for general industrial use where perspiration occurs. Anti-static, Anti-fungal, Anti-bacterial, Improved breathability, Improved comfort, Odour-resistant, Perspiration absorbency, Shock absorbency
MATERIALS:
• The Energiser top sock is from a combination of polyester and wool, with excellent perspiration absorbency
• The top sock has been treated with *Ultra-Fresh to impart hygienic and anti-bacterial properties to the material
• The Energiser woollen top sock is made from highly absorbent 100% wool and treated with an Ultra-Fresh DM-25- WP process. This has the advantage of fighting fungal and bacterial infections, minimising conditions such as Athlete's foot.

ELASTOPAN® CLIMATE CONTROL INSOLE ACC13331



FOOTOLOGY
FOOTWEAR ACCESSORIES

Composition: PU Elastopan with a thickness of 3.00mm in front and 4.5-5.00mm in heel with a shore hardness between 15 -18. The insole includes a treated polyester birdseye lining.
Size Range: 5 –13
Colour: Black
The Elastopan® Climate Control insole provides superior cushioning, lightweight comfort, breathability and durability. It includes an anatomical arch support to help alleviate foot fatigue and stressors due to biomechanics. A honeycomb bottom pattern construction and aerated channels in the forepart, provides added shock absorption and air flow to assist with cooling and drying. The anti-static stitching allows for the dissipation of electrostatic charge.

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

ANTI-BACTERIAL SOX ACC13477



Fibre Composition : 71% Combed Cotton for enhanced comfort, durability and moisture absorption, 26% Polyamide fi bre for excellent elasticity, enabling the socks to stretch and recover, 3% Xstatic providing anti-static and anti-microbial properties for improved safety and bacterial prevention. The anti-static effect is permanent and does not diminish over time
Structure & Properties: Crew length sock with reinforcement in the heel and toe area for cushioning and enhanced durability, Treated with Ruco-Bac AGP anti-microbial silver based technology, designed to destroy 95% of bacteria within 2 hours, eliminate body odour, reduce infections of the foot and improve overall foot health. This product is tested to ASTM E-2149-01 mod.
These socks are recommended for general industrial use where perspiration occurs.

MARINA GREEN BLACK GUMBOOT - MGBGP



GREEN BLACK OCCUPATIONAL USE
The green black Marina ladies general-purpose, calf-length PVC gumboot used in the agricultural and food processing industries. With an average weight of 1.4kg, they are hard wearing and have excellent grip and sole support.
Available UK sizes: 3,4,5,6,7,8,9

MARINA BLACK BLACK GUMBOOT - MBBR



A ladies general purpose, calf-length PVC gumboot used in the agricultural and food processing industries. With an average weight of 1.4kg, they are hard wearing and have excellent grip and sole support.
BLACK BLACK OCCUPATIONAL USE
FEATURES:

- Oil and acid resistant sole
- Average weight of 1.4kg

Available UK sizes: 3,4,5,6,7,8,9

STIMELA XP GUMBOOT - XWG25SMS



WHITE GREY STEEL TOE CAP + METATARSAL PROTECTOR
A heavy duty, knee-length PVC mining gumboot with safety toe protection and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support.
FEATURES:

- Knee-length
- Safety toe protection
- Metatarsal protection

Available UK sizes:
4,5,6,6.5,7,8,9,10,10.5,11,12,13

STIMELA XP GUMBOOT - XBG25SMS



BLACK GREY STEEL TOE CAP + METATARSAL PROTECTOR
A heavy duty, knee-length PVC mining gumboot with safety steel toe protection an a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support.
FEATURES:

- Knee-length
- Safety toe protection
- Average weight of 2.35kg
- Metatarsal protection

Available UK sizes:
4,5,6,6.5,7,8,9,10,10.5,11,12,13

STIMELA XP GUMBOOT - XBG25SPMS



BLACK GREY STEEL TOE CAP + MIDSOLE + METATARSAL PROTECTOR
A heavy duty, knee-length PVC mining gumboot with safety toe protection. Offering an anti-penetration steel midsole and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support.
Also available without the steel Mid Sole.
FEATURES:

- Knee-length
- Safety toe protection
- Midsole protection
- Average weight of 2.35kg
- Metatarsal protection

Available UK sizes:
4,5,6,6.5,7,8,9,10,10.5,11,12,13

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

MARINA WHITE GREY GUMBOOT - MWG25



WHITE GREY OCCUPATIONAL USE + NITRILE
A white grey Marina ladies general-purpose, calf-length PVC gumboot used in the agricultural and food processing industries. With an average weight of 1.4kg, they are hard wearing and have excellent grip and sole support.
Available UK sizes: 3,4,5,6,7,8,9

MARINA BLACK BLACK SLIP ON CLOG - MBBGPCLG



BLACK BLACK SLIP ON CLOG
A ladies general purpose PVC clog gumboot, used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support.
FEATURES:
- Average weight of 1kg

Available UK sizes: 3,4,5,6,7,8,9

MARINA BLACK BLACK SLIP ON SHOE - MBBGPSHO



BLACK BLACK SLIP ON SHOE
A ladies general purpose PVC shoe gumboot, used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support.
FEATURES:
- Average weight of 1kg

Available UK sizes: 3,4,5,6,7,8,9

MARINA WHITE GREY SLIP ON CLOG - MWG25CLG



WHITE GREY SLIP ON CLOG + NITRILE
A ladies general purpose PVC clog gumboot, used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support.
FEATURES:
- Oil and acid resistant sole
- Average weight of 1kg

Available UK sizes: 3,4,5,6,7,8,9

MARINA GREEN BLACK SLIP ON CLOG - MGBGPCLG



SLIP ON GUMBOOT CLOG
The Marina ladies general-purpose green and black PVC slip-on clog gumboot, is ideal for use in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support.
FEATURES:
- Average weight of 1kg

Available UK sizes: 3,4,5,6,7,8,9

MARINA GREEN BLACK SLIP ON SHOE -MGBGPSHO



GREEN BLACK SLIP ON GUMBOOT SHOE
A ladies' general purpose PVC slip-on gumboot shoe, used in the agricultural and food processing industries. With an average weight of 1kg, these gumboot shoes are hard wearing and have excellent grip and sole support.
FEATURES:
- Average weight of 1kg

Available UK sizes: 3,4,5,6,7,8,9

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

FOOTWEAR

MARINA WHITE GREY SLIP ON SHOE - MWG25SH



WHITE GREY SLIP ON SHOE + NITRILE
The white-grey Marina ladies general-purpose PVC slip-on gumboot used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support.

FEATURES:

- Oil and acid resistant sole
- Average weight of 1kg

Available UK sizes: 3,4,5,6,7,8,9

STIMELA XP GUMBOOT - XBG25SM



METAL FREE BLACK GREY COMPOSITE TOE CAP + METATARSAL PROTECTOR GUMBOOT
A full metal free, heavy-duty, knee-length PVC mining gumboot with safety toe protection. Offering a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard-wearing and has excellent grip and sole support.
Also available without the Textile Mid Sole.

FEATURES:

- Knee-length
- Safety toe protection
- Average weight of 2.35kg
- Metatarsal protection

Available UK sizes:
4,5,6,6.5,7,8,9,10,10.5,11,12,13

STIMELA XP GUMBOOT - XWG25SPMS



WHITE GREY STEEL TOE CAP + MIDSOLE + METATARSAL PROTECTOR
A heavy duty, knee-length PVC mining gumboot with safety toe protection. Offering an anti-penetration steel midsole and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support.
Also available without the Steel Mid Sole.

FEATURES:

- Knee-length
- Safety toe protection
- Midsole protection
- Average weight of 2.35kg
- Metatarsal protection

Available UK sizes:
4,5,6,6.5,7,8,9,10,10.5,11,12,13

DURALIGHT 2 LADIES CHELSEA - F1510



White upper with red sole (F1510)

FEATURES

- Nitrile PVC sole for maximum durability
- Nitrile PVC sole for durability and protection against blood, fats, oils and chemicals
- Cleated sole designed to provide maximum slip resistance
- Elastic gusset for quick entry and exit
- Lightweight for enhanced comfort and reduced fatigue
- Nylon liner allows for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)
- Certified according to accreditation 20347
- SIZES: RSA 3-9

DURALIGHT LADIES 1 - F1671



Blue upper with white sole (F1671)

FEATURES

- Recycled PVC upper for optimum flexibility and abrasion resistance
- Recycled PVC sole for maximum durability
- Lightweight for enhanced comfort and reduced fatigue
- Nylon liner allows for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)
- SIZES: RSA 3-12




DURALIGHT LADIES 2 - F1681



White upper with red sole (F1681)

FEATURES

- Nitrile PVC upper for maximum durability
- Nitrile PVC sole for ultimate durability and protection against blood, oils and chemicals
- Lightweight for enhanced comfort and reduced fatigue for long hours on your feet
- Nylon liner allows for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)
- Certified according to accreditation 20347
- SIZES: RSA 3-12



GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

FOOTWEAR

DURALIGHT LADIES 1 - F1611



Olive upper with black sole (F1611)

FEATURES

- Recycled PVC upper for optimum flexibility and abrasion resistance
- Recycled PVC sole for maximum durability
- Lightweight for enhanced comfort and reduced fatigue
- Nylon liner allows for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)
- SIZES: RSA 3-12



DURALIGHT LADIES 1 - F1661



Black upper with black sole (F1661)

FEATURES

- Recycled PVC upper for optimum flexibility and abrasion resistance
- Recycled PVC sole for maximum durability
- Lightweight for enhanced comfort and reduced fatigue
- Nylon liner allows for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)
- SIZES: RSA 3-12



GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

HAND PROTECTION

SAHARA FLEX 6009707950360S



Style Type: Nylon Gloves with Sandy Nitrile Coating
Colours: Blue/Black
Size: 7-11

SAHARA RX 6009707955877



Style Type: Nylon glove with latex coating
Colours: Red/Black
Size: 7-11

PHYNOMIC FOAM 60050



Mechanical Protection
Knitted cuff Palm and fingertips coating with aqua polymer foam coating
Size: 5-12

PHYNOMIC XG 60070



Mechanical Protection
Knitted cuff Aqua-polymer xtra grip foam coating on palm and fingertip
Size: 6-12

PHYNOMIC WET 60060



Mechanical Protection
Knitted cuff Aqua-polymer foam coating on palm and fingertips
Size: 6-12

UNIPUR - 6639



Mechanical Protection
PU Finger-coated, Grey on grey, nylon knitwrist General purpose -wet / dry
Size: 6-11

UNILITE - 6605



Mechanical Protection
Lightweight knitted glove with breathable nitrile foam coating
Size: 6-11

UNIGRIP PL - 6628



Mechanical Protection
PE knitted with rough latex coating
Size: 7-11

UNILITE - 6610F



Mechanical Protection
Breathable nitrile foam coating for damp / oily work. Fully dipped
Size: 6-11

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

HAND PROTECTION

UNIFLEX - U7020



Mechanical Protection
Nitrile coated, knitted glove, palm dip general purpose
Size: 7-10

ATHLETIC LITE ASSEMBLY - 60027



Mechanical Protection
Lightweight and sensitive. Certified in line with EN 388 (4 1 3 2 X) Perfect fit “slim fit” design and elastane in the liner
Size: 6-11

ATHLETIC ALL-ROUND ASSEMBLY -60028



Mechanical Protection
Lightweight and dirt-resistant. Certified in line with EN 388 (4 1 2 2 X) Robust NBR foam coating Perfect fit “slim fit” design and elastane in the liner
Size: 6-11

BAMBOO TWINFLEX D XG 60090



Mechanical Protection
Superior comfort, sensitivity, and cut protection (level D). Bamboo TwinFlex tech. Touchscreen capable. Dermatologically tested. Made in Germany with 45% sustainable materials.
Size: 6-12

XG35B - 60557



Chemical Protection
Especially good grip when working in oily conditions Gauntlet, approx. 35 cm Certified to EN 388:2016 (3 1 2 1 X) and EN ISO 374-1:2016/Type A (J K N O P T)
Size: 7-11

CF33 PROFAPREN CF33



Chemical Protection
Flocked Cotton with Polychloroprene coating chemical resistant cuff, patterned inside hand 33cm
Size: 7-10

HELIX® 2062 - 2062



Cut & Impact Protection
Shell: Core9™ 13-gauge HPPE, steel, and fiberglass blend for ANSI/ISEA Level A9 cut protection. Coating: Flexible sandy nitrile palm for superior grip and abrasion resistance. Visibility: Hi-vis back enhances visibility and compliance. Features: Knit wrist prevents dirt and debris entry
Size: 6-11

THIN LIZZIE - 2090X



Cut & Impact Protection
CUT LEVEL 5
Size: 5-12

C500 FOAM - 60494



Cut Protection
Foam HPE coating Bamboo-rayon/Dyneema® glass/ polyamide softgrip Cut Level C and elastane in the liner
Size: 7-11

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

HAND PROTECTION

HELIX® 2076 - 2076



Cut & Impact Protection
Knit: 13-gauge HPPE and steel fiber blend shell for 360° cut protection. Coating: Polyurethane palm for superior grip and abrasion resistance
Protection: ANSI/ISEA level A6 cut resistance. Features: Elastic knit wrist to block dirt and debris, seamless construction for comfort & breathability
Size: 6-13

UNIDUR - 6659



Cut Protection
Foam Polyurethane coating for dry and slightly damp areas CUT LEVEL C
Size: 6-11

ATHLETIC D5 XP - 60030



Cut Protection
Additional thumb reinforcement Certified in line with EN 388 (4 X 4 3 D) Very flexible safety gloves with excellent fit
Size: 6-12

ARC PROTECT G1 - 60838



Heat Protection
Outstanding tactile feel Excellent protection against thermal discharge Very pleasant on the skin thanks to its cotton content
Size: 7-11

POWER PROTECT V1000 ELECTRICIANS 60840



Heat Protection
Length 41 cm EN 60903: 2003 IEC 60903: 2014 (Class 0/RC) Anatomical fit Flexible, good grip even at low temperatures Flexible at cold temperatures Mineral oil-resistant
Size: 7-11

FIREARMOR® SR-X® 8180-8180



Cut & Impact Protection
Structural firefighting glove made with cow suede leather. Extended gauntlet cuff for added protection against debris. Reinforced thumb saddle and palm for increased durability and abrasion resistance. NFPA 1971:2018 certified H2X+™ FR moisture barrier (interior layer) 100% Nomex® knit inner liner for 360° heat resistance (TPP>60)
Size: 6-13

OIL GLOVE - WG510



A nitrile glove; double coated with nylon liner and knitwrist cuff. Excellent for general use or oily environments. Excellent dexterity and grip; and double dip reduces oil breakthrough.
Size: 7-11

OIL PLUS GLOVE - WG518W



Coating: Double nitrile for exceptional grip and strength in dry or wet conditions. Liner: 15-gauge nylon. Technology: Wonder Grip Technology™ for protection with wet, greasy, or oily elements. Features: Durable, abrasion-resistant, soft finish for dexterity and minimal hand fatigue
Size: 7-10

OIL GUARD GLOVE - WG528L



A nitrile glove; triple coated with nylon liner and gauntlet cuff. Excellent for ultra-wet or oily environments. Gauntlet cuff provides extra protection; while still maintaining excellent dexterity and grip.
Size: 7-10

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

HAND PROTECTION

DEX CUT FULL DIP GLOVE- WG718



With a flexible liner and triple nitrile back coated glove the WG718 is most suitable for working in wet or oily environments especially when requiring protection against cuts. Wonder Grip 718 Dexcut has the highest EN338 cut 5 resistance level and combined with triple back coating makes it the ultimate industrial glove available.
Size: S-XL

DEXCUT CUT 3/4 GLOVE- WG787



Material: Nitrile single-coated with nylon liner and knit wrist cuff
Protection: Glass fiber and HPPE for Cut Level 5 protection. Comfort: Spandex for elasticity and comfort. Use: Ideal for high cut-risk environments with excellent dexterity and grip
Size: 7-11

FLEX GLOVE - WG500



Wonder Grip Flex features the original Wonder Grip Nitrile coating; which has a single nitrile coating and 13-gauge nylon liner. Wonder Grip Flex is an excellent; basic protective glove. Moreover; Flex focuses on comfort.
Size: 7-11

MAXIFLEX ULTIMATE AD-APT 42-874



MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology
Size: 6-12

MAXIFLEX CUT 3 42-8743



MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also DMF free and free from SVHCs (REACH)
Size: 6-12

MAXIFLEX ENDURANCE AD-APT 42-844



MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology
Size: 5-12

MAXIFLEX ELITE 34-274



Weighing only 14 grams the MaxiFlex® Elite™ is our lightest and thinnest MaxiFlex® when extreme dexterity is needed
Size: 6-11

MAXIDRY PLUS - 56-530



Ultra lightweight synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort sensitivity fit and dexterity.
Size: 7-11

MAXIFLEX ULTIMATE AD-APT 42-876



MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology
Sizes: 6-11

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

HAND PROTECTION

MAXIFLEX ACTIVE 34-814



Aloe vera and vitamin E are released while your work taking care of your hands during and after work.
Sizes: 5-11

MAXICUT - 34-450



MaxiCut® combines cut protection with comfort, flexibility and dexterity for dry environments
Sizes: 6-11

MAXICUT ULTRA 52-3745



MaxiCut® Ultra™ for dry environments that integrates the core values of MaxiCut® into a thinner, more comfortable and durable package
Size: 6-12

HANVO GENERAL HANDLING PU GLOVE - PE302



Seamless 13g black woven nylon for comfort, dexterity, and breathability
PU palm for abrasion and tear resistance, maintaining tactile sensitivity
Knit wrist prevents dust and debris, breathable back for comfort
Size: 7-11

HANVO GENERAL HANDLING LATEX GLOVE LA304



Seamless 13g purple woven polyester for comfort, dexterity, and breathability.
Latex crinkle palm for excellent grip in wet & dry conditions, with good abrasion and tear resistance. Knit wrist prevents dust and debris, breathable back for comfort
Size: 7-11

HANVO SUPER GRIP NITRILE GLOVE NX302



Seamless 13g red woven nylon for comfort, dexterity, and breathability.
Sandy nitrile palm for superior grip in wet, dry, and oily conditions, with excellent abrasion and tear resistance. Excellent liquid and oil permeation resistance. Knit wrist, breathable back
Size: 7-11

HANVO SUPER GRIP CUT LEVEL 5 NITRILE NX352



Seamless 13g grey woven HPPE and fiber for comfort, dexterity, breathability, and protection. Sandy nitrile palm for superior grip in wet, dry, and oily conditions; excellent abrasion, cut, tear, and penetration resistance. Excellent liquid and oil permeation resistance. Knit wrist , breathable back
Size: 7-11

HANVO SUPER GRIP FULL DIP NITRILE NKX504



Seamless 15g black woven polyester for comfort, dexterity, and breathability. Full nitrile dip and sandy nitrile palm for superior grip in wet, dry, and oily conditions; excellent abrasion and tear resistance. Full dip ensures excellent resistance to liquid and oil permeation. Knit wrist prevents dust and debris
Size: 7-11

NITRILE COATED CUT 5 DROMEX #57



High cut & abrasion resistance, High contact heat protection, High grip power, Colour UV resistant, 100% Dromex Cut5 fibre, Ultra grip Nitrile coating, Composite knitted wrist, Colour UV resistant, Lint free & washable
Sizes: 7-12

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

HAND PROTECTION

FOOD SERIES 55LF



100% Dromex Cut5 fibre, FDA & German food grade approved, Seamless with a composite knitted wrist, Ambidextrous, High cut & abrasion resistance, Contact heat protection, Colour UV resistance, Sanitised treatment, Extra length, Lint free & washable
Sizes: 7-11

SEAMLESS CUT 5 55M-Y



High cut & abrasion resistance, High contact heat protection, Colour UV resistant, Lint free & washable, 100% Dromex Cut5 fibre, Seamless ergonomic liner, Reinforced crotch area, Composite knitted wrist
Sizes: 7-10

CHEMICAL NITRILE 0056



Green Nitrile unsupported (0.38mm) thick. Micro flock lined for comfort. Textured palm, fingers and partially on the wrist for grip. Washable. Straight cuff. 33cm length Resistant to: K: Sodium Hydroxide 40%, L: Sulphuric Acid 96%, J: n-Heptane. Straight cuff
Sizes: 6 - 10

PU20.01 PU2001/B



High durability, High dexterity, Super grip, Protection against abrasion, 100% Polyurethane palm & finger coating, 100% Nylon seamless liner, Composite knitted wrist
Sizes: 6-11

PU20.01 PU2001/W



High durability, High dexterity, Super grip, Protection against abrasion, 100% Polyurethane palm & finger coating, 100% Nylon seamless liner, Composite knitted wrist
Sizes: 6-11

NITROLITE NITROLITE



High abrasion, Oil solvent resistance, High dexterity, Grey nitrile palm coated, Nylon seamless shell, Composite knitted wrist
Sizes: 7-10

NITRIFLEX COATED DG-NITRIFLEX



High abrasion, Strong oil-resistance, Super grip, Softer touch and higher flexibility, Sanitized
Sizes: 7-11

MACH 777 MACH-777



Cut5 HDPE lining, High impact, abrasion, cut & tear resistance, Black Nitrigrip & vibro-impact reinforced palm, Grey back with black/lime IMPACT knuckle guard, 7cm waterproof neoprene cuff with reflective tape, Hi-Viz TPR on back of fingers & thumb, Foamed padding on palm for anti-vibration, Multifunctional mechanical glove
Sizes: 7-13

16.8 CAL ARC DIPPED DG-NE423AF



Excellent grip in wet, oily & dry environments, High dexterity resistance, High resistance to snatch, tear, cut, abrasion & heat, Basic chemical oil stability, Seamless knitted aramid fibre glove with a textured coated palm, Extended 10cm cuff
Sizes: 7-13

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

HAND PROTECTION

CHAIN MAIL RTCMG-01



Stainless steel chain mail glove. Ambidextrous. Wrist length. Washable. Tapered fit design. 20mm Colour coded fastening wrist band. Supplied with glove tensioner
Sizes: XS-XL

RUBBER HOUSEHOLD DG-HS-Y



Diamond pattern palm provides grip. 10cm Flute cuff allows the glove to breathe and provides a good seal over chemical protective suit or on hands. Diamond pattern wrist cuff and flock lining assists with ease of removal of gloves. Flock lined, reusable. Waterfall yellow latex with wiring thumb. Diamond pattern palm and wrist. Cotton flock lined latex
Sizes: S-XL

NITRILE FULLY DIPPED NITRILE 0921



Excellent grip. High abrasion. High cut resistance. Fully coated nitrile .Interlock liner. Rib cuff
Sizes: 7 - 10

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

HEAD PROTECTION

INDUSTRIAL SAFETY CAP - PEAKED BRIM 290C



High impact resistant shell. Assembled weight: Standard harness 284g, plastic ratchet harness 306g, webbing ratchet harness 300g . One size fits all. 6 Point suspension harness attachment. Harness nape strap adjustment from 50cm to 64cm. Available in the following: a. 6 pin buckle fastener b. Auto-locking ratchet c. Auto-locking ratchet and webbing. 40mm Peaked brim, 270° Gutter, 2 Accessory slots, 3 Lugs for chinstraps. 2 Year UV stabilised shell. **Materials:** Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Tricot foam cushion sweatband. **Shell colours:** White, Royal Blue, Yellow, Orange, Red, Green, Lime, Grey, Sasol Blue, Bright Pink, Hi Viz Lemon, Sun Yellow, Maroon, Brown, Purple, Navy and Black. **Harness colour:** Natural . **Sweatband colour:** Black **COMPLIANCE:** SABS Mark certification: 4886/12692, SANS 1397:2003 standard compliant, Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 Ÿ 440 VAC insulated Ÿ Proudly made in South Africa

INDUSTRIAL SAFETY CAP - SHORT BRIM 290SBC



High impact resistant shell. Assembled weight: Standard harness 278g, plastic ratchet harness 300g, webbing ratchet harness 294g One size fits all 6 Point suspension harness attachment Harness nape strap adjustment from 50cm to 64cm. Available in the following: a. 6 pin buckle fastener b. Auto-locking ratchet c. Auto-locking ratchet and webbing 20mm Peaked brim 270° Gutter 2 Accessory slots 3 Lugs for chinstraps 2 Year UV stabilised shell **Materials:** Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Tricot foam cushion sweatband **Shell colours:** White, Royal Blue, Yellow, Orange, Red, Green, Lime, Grey, Sasol Blue, Bright Pink, Hi Viz Lemon, Sun Yellow, Maroon, Brown, Purple, Navy and Black **Harness colour:** Natural **Sweatband colour:** Black **COMPLIANCE:** SABS Mark certification: 4886/12692 SANS 1397:2003 standard compliant Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

INDUSTRIAL SAFETY HAT - FULL BRIM 291C



High impact resistant shell. Assembled weight: Standard harness 340g, plastic ratchet harness 375g, webbing ratchet harness 370g One size fits all 6 Point suspension harness attachment Harness nape strap adjustment from 50cm to 64cm. Available in the following: a. 6 pin buckle fastener b. Auto-locking ratchet c. Auto-locking ratchet and webbing 40mm full brim 2 Accessory slots 2 Lugs for chinstraps 2 Year UV stabilised shell **Materials:** Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Tricot foam cushion sweatband **Shell colours:** White, Royal Blue, Yellow, Orange, Red, Green and Grey **Harness colour:** Natural **Sweatband colour:** Black **COMPLIANCE:** SABS Mark certification: 4886/12692 SANS 1397:2003 standard compliant Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

SAFETY CAP C/W LAMP BRACKET 290PLB / 290MLB



Industrial safety cap
Peaked brim
6 point suspension harness
3 harness options: standard, ratchet plastic & ratchet webbing
Colours: White, Royal Blue, Yellow, Orange, Red, Green, Lime, Grey, Sasol Blue, Bright Pink, Hi Viz Lemon, Sun Yellow, Maroon, Brown, Purple, Navy and Black
Plastic (Red Poly Propylene (PP) lamp brackets & cable clip.)
Metal (Electroplated mild steel lamp bracket & Red Poly Propylene (PP) cable clip)
Fastened with nickel-cadmium rivets
Does not provide VAC 440 insulation
COMPLIANCE: SABS Mark certification: 4886/12692 SANS 1397:2003 standard compliant Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

SAFETY HAT C/W LAMP BRACKET



Industrial safety hat
Full brim
6 point suspension harness
3 harness options: standard, ratchet plastic & ratchet webbing
SABS SANS 1397 compliant
DMRE Approved
Shell colours: White, Royal Blue, Yellow, Orange, Red, Green and Grey
Plastic (Red Poly Propylene (PP) lamp brackets & cable clip.) or metal (Electroplated mild steel lamp bracket & Red Poly Propylene (PP) cable clip) lamp bracket
Fastened with nickel-cadmium rivets
Does not provide VAC 440 insulation
COMPLIANCE: SABS Mark certification: 4886/12692 SANS 1397:2003 standard compliant Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

DOUBLE CROWN FULL BRIM HATS 291RWDC



High impact resistant shell. Assembled weight: 516g One size fits all 6 Point suspension ratchet webbing harness attachment Liner nape strap adjustment from 50cm to 64cm. Metal lamp bracket & cable clip 40mm full brim 2 Accessory slots 2 Lugs for chinstraps 2 Year UV stabilised shell Materials: Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Tricot foam cushion sweatband Shell colours: White, Royal Blue, Yellow, Orange, Red, Green and Grey Harness colour: Natural Sweatband colour: Black COMPLIANCE Ÿ Ÿ Ÿ Ÿ SABS Mark certification: 4886/12692 SANS 1397:2003 standard compliant Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 Proudly made in South Africa

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

HEAD PROTECTION

NIKKI SAFETY CAP - 761



ABS shell
4-point, lightweight, comfort suspension system providing additional shock absorption
Unique suregrip one handed fastening system
Fully adjustable to head sizes from 50-64cms to ensure non-slip grip on head
Permasweat head band for added comfort and moisture management
High visibility rear insert for added safety
Meets requirements of SANS 1397:2003
18 Cal/cm² Tested against ASTM F2178 for Arc Flash protection
Meets requirements of SANS 724:2009
Tested to 1000V rating
Government Mining Engineer approved for use in mines.
SABS approved with Mark Scheme No. 6921
Made in South Africa

PHEOS SAFETY CAP - 1455



Safety helmet with slot on the front for helmet lights
Side Euroslot adapters (30 mm) for attaching earmuffs and the uvex pheos visor system
With long brim
Available in: white, yellow, orange, red, green, blue
Three variable air vents for maximum ventilation
Suspension harness with wheel ratchet for variable width adjustment
Six-point textile band attachment ensures optimal fit and comfort
Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash

PHEOS ALPINE HELMET - 1499



Multifunctional helmet for working at heights and rescue operations.
Safety helmet with slot on the front for helmet lights. Side Euroslot adapters (30 mm) for attaching earmuffs or the uvex pheos visor system
Options for attaching head torches, goggles and face protection
Six-point textile band attachment ensures optimal fit and great comfort
Suspension harness with wheel ratchet for variable width adjustment
Delivered as standard with a black PU sweatband (art. no. 9760.009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760.005)
Meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
Firmly riveted four-point chin strap for use in accordance with EN 12492
Chin strap included (art. no. 9790.005) for use in accordance with EN 397
Light ABS helmet shell offers high level of protection and durability

HERO HEAT RESISTANT SAFETY CAP - 1373



Heat Hero Hard Hat option for work near furnaces and welding operations
Very high Temperature +190°C (Shock absorption)
New DMRE Certified
100% Virgin HDPE
Exceed the applicable requirements as outlined in SANS 1397:2003.
Certificate issued by the Accredited Test Laboratory MASC MS/21-8355
Integrated cap lamp bracket with 2 positions
Cable management system
Exceptional impact protection
Optional chin strap attachment points
Side slots to accommodate face/hearing protection
Adjustable headband with large ratchet for quick, single-handed adjustment

ARC HARD HAT DH-ARCHHSG-18



TYPE 1 white, non-vented industrial hard hat with UV (Ultraviolet), inhibitor protector
Protects against impact, penetration and exposure to high voltage conductors
Dielectric protection up to 20,000 volts (phase to ground)
4-point quick fit suspension, with double straps for shock absorption
Adjustable Fast-Trac III rachet suspension
Fixed stitched sweat band
Side slots for integration with face and hearing protective equipment
Medium shell, that is fully adjustable to fit head sizes between 52cm – 64cm (centimetres)
Complies with the following standards: ANSI/ISEA Z89.1-2014, CSA Z94.1-2015
Composition: HDPE (High Density Polyethylene)
Suitable For Use: General use, Manufacturing, Electrical Purposes, Utilities

HARD HATS DH-HH



Polypropylene copolymer hard hat
Retractable ventilation holes
Ratchet type adjustment for easy fitment
2-Point adjustable webbed polyester chin strap
Side slots for fitment of face & hearing PPE
8-Point suspension within the shell provides optimum shock absorption
Composition: Polypropylene copolymer hard hat
Rating: Anti-static & tested for electrical isolation at 2000 volts
Complies with the requirements of SANS 1397:2003,
Industrial Safety Helmets
Certified to EN 397:2012+A1:2012,
Industrial Safety Helmets
MASC 20-8361 approved, Mining and Surface Certified as per 2015/021934/07
CE Approved

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

HEAD PROTECTION

28 CAL ARC ERGOS INTEC HELMET ARC ERGOS-INTEC



Electrically insulated helmet with integrated retractable visor & chin protection
Provides safety against thermal hazards of an electric arc & projected droplets of molten metal
Electrical insulation 1000V AC & 1500V DC
ATPV 28 cal/cm2
Conforms to:
EN 166:2001
EN 170:2002
EN 50365:2002
EN 397:2012 + A1:2012
GS-ET-29:2011
ASTM F2178-17b

HARD HAT WITH LAMP MOUNT DH-HHCL-W



Polypropylene copolymer hard hat
Retractable ventilation holes
Ratchet type adjustment for easy fitment
2-Point adjustable webbed polyester chin strap
Side slots for fitment of face & hearing PPE
8-Point suspension within the shell provides optimum shock absorption
Additionally tested for electrical isolation at 2000 volts
Includes a bracket on the front of the hard hat for a cap lamp, as well as a cord holder at the back of the hard hat.
Please note: Cap lamp not included
Composition: Polypropylene copolymer hard hat
Product Rating
Complies with the requirements of SANS 1397:2003, Industrial Safety Helmets
Certified to EN 397:2012+A1:2012, Industrial Safety Helmets
MASC 20-8361 approved, Mining and Surface Certified as per 2015/021934/07
CE Approved

MULTIFUNCTIONAL BUFFS



- White 38gsm / Colours 35gsm / Camo and SA 38gsm
- 100% Polyester
- Multifunctional

Branding Area: 450 x 250mm
Available Sizes: One Size Fits Most

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

HEARING PROTECTION

UVEX K30H 2630230



Dielectric helmet earmuffs
Continuous length adjustment
Sound isolation thanks to the rubber-cushioned earmuffs
Operating/standby and resting positions
Replaceable earmuff cushions for applications with high hygiene requirements
Cushioned sealing pads with memory foam create an excellent seal and fit around the head.
Comfort features
Optimal earmuff shape provides pressure-free protection for the outer ear
Extra-soft memory foam ear cushions ensure optimal wearer comfort, even when worn for long periods
Quickly and easily move the earmuffs into the operating, standby or resting position.
Protection features
Meets standard EN 352-3
34 dB noise reduction
Sizes: S/M/L

UVEX K4 EARMUFFS 2600004



Ear muffs with length adjustment
Low weight and compact size
Colour: yellow
Version with length adjustment
Comfort features
Easily adjustable for a perfect fit
Padded headband for optimal wearer comfort
Wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods
Protection features
Meets standard EN 352-1
35 decibels insulation – H: 38 dB, M: 33 dB, L: 24 dB
Higher insulation in high-frequency range
Sizes: S/M/L

UVEX X-CAP BANDED EAR PROTECTION 2125361



Ergonomically shaped banded ear protector for optimal positioning in front of the chin
Colour: grey, sky blue, lime
Version with band
Comfort features
Ergonomically shaped replacement earplugs for optimal wearer comfort
Protection features
Meets standard EN 352-2 and the additional requirement "Warning signal hearing, general" (W)
24 decibels insulation – H: 27 dB, M: 19 dB, L: 18 dB
Sizes: S/M/L

UVEX X-FOLD BANDED EARPLUGS 2125344



Ergonomically shaped banded ear protector for optimal positioning in front of the chin
Colour: grey, sky blue, lime
Version with band
Comfort features
Ergonomically shaped replacement earplugs for optimal wearer comfort
Protection features
Meets standard EN 352-2
27 decibels insulation – H: 29 dB, M: 23 dB, L: 22 dB
Sizes: S/M/L

UVEX AXESS ONE 2640001



Dual connection mode. Real active listening (RAL) function for clear perception of ambient noise. Communication, telephony and streaming
Dual connection mode. Suitable for use in dusty and damp working conditions thanks to sealing caps
Comfort features
Buttons with a shape that corresponds to their function. Optimal earmuff shape provides pressure-free protection for the outer ear. Padded textile headband for optimum comfort. Extra-soft memory foam ear cushions ensure optimal comfort for long periods. USB-C charging socket is rotationally symmetrical. Continuous length adjustment for the perfect positioning. Hands-free telephony. Audio assistant provides status updates, so there is no need to remove the hearing protection in hazardous areas.
Protection features
Meets standard EN 352-1, 31 dB noise reduction, Sound level limiter protects against harmful impulse noise
Sizes: S/M/L

UVEX K1 EARMUFFS 2600001



Ear muffs with length adjustment
Low weight and compact size
Colour: black, green
Version with length adjustment
Comfort features
Easily adjustable for a perfect fit
Soft surface and padded headband for optimal wearer comfort
Protection features
Meets standard EN 352-1
28 decibels insulation – H: 35 dB, M: 24 dB, L: 17 dB
Sizes: S/M/L

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

HEARING PROTECTION

UVEX K200 EARMUFFS 2600200



Dielectric earmuffs with length adjustment
Colour: black, ochre
Version with 360° headband adjustment
Comfort features
Easily adjustable for a perfect fit
Range of positions possible with 360° capsule rotation
Protection features
Meets standard EN 352-1
28 decibels insulation – H: 33 dB, M: 25 dB, L: 18 dB
Suitable for use in workplace environments with exposure to electrical voltage
Adjustable headband for a perfect fit and optimal protection
Sizes: S/M/L

UVEX K10H 2630210



Dielectric helmet earmuffs
Continuous length adjustment
Sound isolation thanks to the rubber-cushioned earmuffs
Operating/standby and resting positions
Replaceable earmuff cushions for applications with high hygiene requirements
Cushioned sealing pads with memory foam create an excellent seal and fit around the head.
Comfort features
Optimal earmuff shape provides pressure-free protection for the outer ear
Extra-soft memory foam ear cushions ensure optimal wearer comfort, even when worn for long periods
Quickly and easily move the earmuffs into the operating, standby or resting position.
Protection features
Meets standard EN 352-3
28 dB noise reduction
H: 34 dB, M: 26 dB, L: 18 dB
Sizes: S/M/L

UVEX K20H 2630220



Dielectric helmet earmuffs
Continuous length adjustment
Sound isolation thanks to the rubber-cushioned earmuffs
Operating/standby and resting positions
Replaceable earmuff cushions for applications with high hygiene requirements
Cushioned sealing pads with memory foam create an excellent seal and fit around the head.
Comfort features
Optimal earmuff shape provides pressure-free protection for the outer ear
Extra-soft memory foam ear cushions ensure optimal wearer comfort, even when worn for long periods
Quickly and easily move the earmuffs into the operating, standby or resting position.
Protection features
Meets standard EN 352-3
30 dB noise reduction
Sizes: S/M/L

BOXED RE-USABLE EARPLUGS DR-090CI



Product Information
Hi-visibility fluorescent green triple flange TPR ear plugs
Composition
(H=33 dB, M=30 dB, L=28 dB) SNR 32 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

DETECTABLE RE-USABLE EARPLUGS DR-090CDET



Product Information
Hi-visibility fluorescent blue triple flange TPR ear plugs with detectable bearing
Composition
H=33 dB, M=30 dB, L=28 dB
SNR 32 dB
Suitable For Use
Food Processing
Pharmaceutical
Toy Equipment Manufacturing

BLUE CORDED RE-USABLE EARPLUGS DR-118C



Product Information
Hi-visibility fluorescent blue triple flange TPR ear plugs
Composition
H=31 dB, M=28 dB, L=27 dB
SNR 31 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

HEARING PROTECTION

BANDED RE-USABLE EARPLUGS EG-3301B



Product Information
Hi-visibility blue triple flange TPR ear plugs
Composition
H=28 bB, M=25 dB, L=25 dB)
SNR 28 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

INTEREX EAR MUFFS INTEREX



Product Information
EU slotted Unique DROMEX connector that fits all hard hats
Large twin point mounted cups with soft foam cushions
Easy to attach & detatch with spring loaded arms
Steel arms maintain a constant & even pressure
Adjustable cup for optimum comfort & fit
Composition
H=31 dB, M=26 dB, L=19 dB
SNR 28 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

GREEN CORDED RE-USABLE EARPLUGS DR-090C



Product Information
Hi-visibility fluorescent green triple flange TPR ear plugs
Composition
(H=33 dB, M=30 dB, L=28 dB)
SNR 32 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting
Office & Corporate

CLASSIC EAR MUFF CEM



Product Information
Padded headband ear muff with soft foam cushions
Low risk of entanglement on machinery
Hearing protection for extended periods
Durable self adjusting ABS cups
Close fitting wire headband
Composition
H=33,9 dB, M=26,4 dB, L=17,7 dB
SNR 28,6 dB
Suitable For Use
Welding
Power Generators
Machining
Woodworking
Grinding
Aviation industry
High pressure steaming
Sizes: Standard size, that is adjustable to t sizes S, M, L

DISPOSABLE CORDED EARPLUGS DR-099C



Product Information
Disposable corded foam earplugs
Smooth & soft foam for comfort
Easy to use
Superb attenuation
Hi-visibility fluorescent lime PU foam
Expands to fit ear canal comfortably increasing overall protection
Product Rating
CE EN 352-2 (H=33 dB, M=33 dB, L=32 dB)
SNR 35 dB
Composition
PU coated for hygiene
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

JUNIOR EAR MUFFS JM-B



Product Information
The original class leading ear defender
Designed with comfort in mind
Light weight and robust design
Self adjusting ABS cups
oft foam cushions for all day comfort
Suitable for light industrial duty and outdoor construction
Used under hard hat or around the neck
Adjustable rotational cup
Product Rating
CE EN 352-1 (H=28db, M=21db, L=13db)
SNR 24db
Composition
Universal ear ABS muffs
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

HEARING PROTECTION

DR-099C DISPOSABLE FOAM EAR PLUGS CORDED DR-099C



Product Information
Disposable, hi-visibility fluorescent PU foam ear plugs
PU coated for hygiene
Smooth, soft, pliable & easy to use
Superb attenuation
Expands to fit ear canal comfortably, increasing overall protection
Composition
CE EN 352-2 (H=33 dB, M=33 dB, L=32 dB)
SNR 35 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

DISPOSABLE FOAM EAR PLUGS UNCORDED DR-098



Product Information
Disposable, hi-visibility fluorescent PU foam ear plugs
PU coated for hygiene
Smooth, soft, pliable & easy to use
Superb attenuation
Expands to fit ear canal comfortably, increasing overall protection
Composition
CE EN 352-2 (H=36 dB, M=34 dB, L=33 dB)
SNR 37 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

DISPOSABLE FOAM EAR PLUGS CORDED DR-098-C



Product Information
Disposable, hi-visibility fluorescent PU foam ear plugs
PU coated for hygiene
Smooth, soft, pliable & easy to use
Superb attenuation
Expands to fit ear canal comfortably, increasing overall protection
Composition
CE EN 352-2 (H=36 dB, M=34 dB, L=33 dB)
SNR 37 dB
Suitable For Use
Machining
Woodworking
Grinding
Steel cutting

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

OTHER

A-STORM IN A-G CUP – STYLE: CJ1040

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Non-wire, Non-moulded
Full cup, Seamed cup
Padded adjustable strap.
Colour: Black
Sizes: 30DD, H32D, 32DD, 32E, 32F, 32H, 32J, 32K, 34D, 34DD, 34E, 34F, 34G, 34H, 34J, 34K, 36D, 36DD, 36E, 36G, 36H, 36J, 36K, 38D, 38DD, 38E, 38F, 38G, 38H, 38J, 38K, 40D, 40DD, 40F, 40G, 40H, 40J, 40K, 42E, 42F, 42G, 42H, 42J, 42K, 44D, 44DD, 44E, 44F, 44G, 44H, 44J, 44K, 46DD, 46E, 46F, 46G, 466H, 46J, 48E, 48F, 48G, 48H, 48J

MOQ of 10 per size

A-STORM IN A-G CUP – STYLE: CJ1040

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Non-wire, Non-moulded
Full cup, Seamed cup
Padded adjustable strap.
Colour: White
Sizes: 30DD, H32D, 32DD, 32E, 32F, 32H, 32J, 32K, 34D, 34DD, 34E, 34F, 34G, 34H, 34J, 34K, 36D, 36DD, 36E, 36G, 36H, 36J, 36K, 38D, 38DD, 38E, 38F, 38G, 38H, 38J, 38K, 40D, 40DD, 40F, 40G, 40H, 40J, 40K, 42E, 42F, 42G, 42H, 42J, 42K, 44D, 44DD, 44E, 44F, 44G, 44H, 44J, 44K, 46DD, 46E, 46F, 46G, 466H, 46J, 48E, 48F, 48G, 48H, 48J

ANITA – STYLE: A5527

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Maximum extreme control Spots bra
Non Wire, Non-moulded
Seamed cup
Padded adjustable straps
Colour: Black/White
Sizes: 30B, 32B, 34B, 36B, 38B, 40B, 42B, 44B, 46B, 30C, 32C, 34C, 36C, 38C, 40C, 42C, 44C, 46C, 30D, 32D, 34D, 36D, 38D, 40D, 42D, 44D, 46D, 30DD, 32DD, 34DD, 36DD, 38DD, 40DD, 42DD, 44DD, 46DD,30E, 32E, 34E, 36E, 38E, 40E, 42E, 44E 46E, 30F, 32F, 34F, 36F, 38F, 40F, 42F, 44F, 46F, 30G, 32G, 34G, 36G, 38G, 40G, 42G, 44G, 46G, 30H, 32H, 34H, 36H, 38H, 40H, 42H, 44H, 46H

ANITA – STYLE: A5529

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Maximum Support – momentum sports bra
Non wire, Non-moulded cup
Seam Free, Adjustable strap
Colour: Beige
Sizes: 32A, 34A, 36A, 38A, 40A, 42A, 30B, 32B, 34B, 36B, 38B, 40B, 42B, 30C, 32C, 34C, 36C, 38C, 40C 42C, 30D, 32D, 34D, 36D, 38D, 40D, 42D, 30DD, 32DD, 34DD, 36DD, 38DD, 40DD, 42DD, 30E, 32E, 34E, 36E, 38E, 40E, 42E, 30F, 32F, 34F, 36F, 38F, 40F, 42F, 30G, 32G, 34G, 36G, 38G, 40G, 42G, 30H, 32H, 34H, 36H, 38H, 40H

ANITA – STYLE: A5529

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Maximum Support – momentum sports bra
Non wire, Non-moulded cup
Seam Free, Adjustable strap
Colour: Black
Sizes: 32A, 34A, 36A, 38A, 40A, 42A, 30B, 32B, 34B, 36B, 38B, 40B, 42B, 30C, 32C, 34C, 36C, 38C, 40C 42C, 30D, 32D, 34D, 36D, 38D, 40D, 42D, 30DD, 32DD, 34DD, 36DD, 38DD, 40DD, 42DD, 30E, 32E, 34E, 36E, 38E, 40E, 42E, 30F, 32F, 34F, 36F, 38F, 40F, 42F, 30G, 32G, 34G, 36G, 38G, 40G, 42G, 30H, 32H, 34H, 36H, 38H, 40H

ANITA – STYLE: A5537

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Maximum DynamiXstar racer back sports bra
Non wire, Non moulded
Seam free, Racer back
Colour: Black
Sizes: 32A, 34A, 36A, 32B, 34B, 36B, 38B, 40B, 32C, 34C, 36C, 38C, 40C, 32D, 34D, 36D, 38D, 40D, 32DD, 34DD, 36DD, 38DD, 40DD, 32E, 34E, 36E, 38E, 40E, 32F, 34F, 36F, 38F, 32G, 34G, 36G

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

OTHER

ANITA – STYLE: A5537

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Maximum DynamiXstar racer back sports bra
Non wire, Non moulded
Seam free, Racer back
Colour: Grey
Sizes: 32A, 34A, 36A, 32B, 34B, 36B, 38B, 40B, 32C, 34C, 36C, 38C, 40C, 32D, 34D, 36D, 38D, 40D, 32DD, 34DD, 36DD, 38DD, 40DD, 32E, 34E, 36E, 38E, 40E, 32F, 34F, 36F, 38F, 32G, 34G, 36G

FREYA – STYLE: AA4004 EPIC

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Full coverage for high performance
Foam cups for smooth shaping
Shapes and supports by encapsulating the bust
Wide curvature wires for a supportive fit
Mesh panels for cool comfort
Adjustable straps with J-hook fastening for a racer back option
Soft hook and eye
Colour: Grey/Blue
Sizes: 30D, 32D, 34D, 36D, 38D, 30DD, 32DD, 34DD, 36DD, 38DD, 30E, 32E, 34E, 36E, 38E, 30F, 32F, 34F, 36F, 38F, 30FF, 32FF, 34FF, 36FF, 38FF, 30G, 32G, 34G, 36G, 38G, 32GG, 34GG, 36GG, 32H, 34H, 36H

FREYA – STYLE: AA4004 EPIC

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Full coverage for high performance
Foam cups for smooth shaping
Shapes and supports by encapsulating the bust
Wide curvature wires for a supportive fit
Mesh panels for cool comfort
Adjustable straps with J-hook fastening for a racer back option
Soft hook and eye
Colour: Black/Purple
Sizes: 30D, 32D, 34D, 36D, 38D, 30DD, 32DD, 34DD, 36DD, 38DD, 30E, 32E, 34E, 36E, 38E, 30F, 32F, 34F, 36F, 38F, 30FF, 32FF, 34FF, 36FF, 38FF, 30G, 32G, 34G, 36G, 38G, 32GG, 34GG, 36GG, 32H, 34H, 36H

FREYA – STYLE: AA4892 SONIC

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Designed for low intensity sports
Breathable spacer moulded cups
Wide curvature wires for a supportive fit
Mesh panels for cool comfort
Firm banding for anchorage
Adjustable straps with J-hook fastening for a racer back option
Soft hook and eyes
Colour: Black
Sizes: 32C, 30D, 32D, 34D, 36D, 38D, 30DD, 32DD, 34DD, 36DD, 38DD, 30E, 32E, 34E, 36E, 38E, 30F, 32F, 34F, 36F, 38F, 30FF, 32FF, 34FF, 36FF, 38FF, 30G, 32G, 24G, 36G, 38G, 32GG, 34GG, 36GG, 38GG, 32H, 34H, 36H

FREYA – STYLE: AA4892 SONIC

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Designed for low intensity sports
Breathable spacer moulded cups
Wide curvature wires for a supportive fit
Mesh panels for cool comfort
Firm banding for anchorage
Adjustable straps with J-hook fastening for a racer back option
Soft hook and eyes
Colour: Beige
Sizes: 32C, 30D, 32D, 34D, 36D, 38D, 30DD, 32DD, 34DD, 36DD, 38DD, 30E, 32E, 34E, 36E, 38E, 30F, 32F, 34F, 36F, 38F, 30FF, 32FF, 34FF, 36FF, 38FF, 30G, 32G, 24G, 36G, 38G, 32GG, 34GG, 36GG, 38GG, 32H, 34H, 36H

FREYA – STYLE: AC401003 HIGH-OCTANE

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Underwire sports bra, soft moulded cups
Padded adjustable straps,
Can be worn as racerback or normal over the shoulder.
Colour: Black
Sizes: 30D, 30DD, 30E, 30F, 30FF, 30G, 30GG, 32D, 32DD, 32E, 32F, 32FF, 32G, 32H, 32HH, 32J, 34D, 34DD, 34E, 34F, 34FF, 34G, 34GG, 34H, 34HH, 34J, 36D, 36DD, 36E, 36F, 36FF, 36G, 36GG, 36H, 36HH, 38D, 38DD, 38E, 38F, 38FF, 38G, 38GG, 38H, 40D, 40DD, 40E, 40F, 40FF, 40G, 40GG

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

OTHER

FREYA – STYLE: AC4014 DYNAMIC

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Full coverage non-wired soft cup style
Shapes and supports by fully encapsulating the breast
Wide, flat underband elastic for added comfort and anchorage under the bust
Contrast bindings at the neck edge strap and underband
Seam-soft thread to reduce friction against the skin
Adjustable built up padded straps for comfort and support
Soft hook and eye panel for extra comfort
Colour: Black
Sizes: 30D, 30DD, 30E, 30F, 30FF, 30G, 32D, 32FF, 32G, 32GG, 32H, 32HH, 32J, 34F, 34G, 34GG, 34H, 34HH, 34J, 36C, 36F, 36F, 36G, 36GG, 36H, 36HH, 36J, 38C, 38FF, 38G, 38GG, 38H, 38HH, 38J, 40D, 40DD, 40F, 40FF, 40G, 40GG, 40H

JOCKEY – STYLE: JLBT008601

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Non-wire , non-moulded,
padded adjustable straps,
all over cotton, Medium support
Colour: Mocha
Sizes: 32B, 32C, 34B, 34C, 34D, 34DD, 36B, 36C, 36D, 36DD, 38B, 38C, 38D, 38DD

MOQ of 10 per size

PANACHE – STYLE: PAN5021

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Underwire sportsbra, soft moulded cups
Padded adjustable straps,
Can be worn as racerback.
Colour: Grey
Sizes: 30F, 30FF, 30G, 30GG, 30H, 32DD, 32E, 32F, 32FF, 32G, 32GG, 32H, 32HH, 32J, 34DD, 34E, 34F, 34FF, 34G, 34GG, 34H, 34HH, 34J, 36DD, 36E, 36F, 36FF, 36G, 36GG, 36H, 36HH, 38DD, 38E, 38F, 38FF, 38G, 38GG, 38H, 40DD, 40E, 40F, 40FF, 40G, 40GG

PANACHE – STYLE: PAN5021

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Underwire sportsbra, soft moulded cups
Padded adjustable straps,
Can be worn as racerback.
Colour: Black
Sizes: 30F, 30FF, 30G, 30GG, 30H, 32DD, 32E, 32F, 32FF, 32G, 32GG, 32H, 32HH, 32J, 34DD, 34E, 34F, 34FF, 34G, 34GG, 34H, 34HH, 34J, 36DD, 36E, 36F, 36FF, 36G, 36GG, 36H, 36HH, 38DD, 38E, 38F, 38FF, 38G, 38GG, 38H, 40DD, 40E, 40F, 40FF, 40G, 40GG

PANACHE – STYLE: PAN5022


STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Uses Lycra Adaptiv® fiber to offer a second skin feel, for optimal comfort and shaping
Moulded, non padded inner cups offer a seamlessly smooth fit against the skin
Padded wire casing gives additional comfort and support
J-hook offers racerback styling option and additional support
Colour: Black
Sizes: 30F, 30FF, 30G, 30GG, 30H, 30HH, 32E, 32F, 32FF, 32G, 32GG, 32H, 32HH, 32J, 34E, 34F, 34FF, 34G, 34GG, 34H, 34HH, 34J, 36E, 36F, 36FF, 36G, 36GG, 36H, 36HH, 36J, 38E, 38F, 38FF, 38G, 38GG, 38H, 38HH, 38J, 40E, 40F, 40FF, 40G, 40GG, 40H, 40HH

PANACHE – STYLE: PAN9441

STORM IN A-G CUP
LADIES UNDERWEAR SPECIALISTS



Imported
Underwire sports bra, Non-padded
Padded adjustable straps,
Can be worn as racerback.
Colour: Black
Sizes: 34JJ, 34J, 36J, 36JJ, 36K, 38HH, 38J, 38JJ, 38K, 40HH, 40J, 40JJ, 42F, 42FF, 42G, 42GG, 42H, 42HH, 44F, 44FF, 44G, 44GG, 44H, 46F, 46FF, 46G

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

OTHER

JOCKEY® HIGH IMPACT SPORTS BRA LBT011201



Jockey® High Impact Sports Bra is made with lightweight breathable cotton and lycra allowing for flexibility. The straps are adjustable to allow for customization and comfort. The inside lining provides extra support for the bust while still maintaining it's shape and form.
Comfortable
Adjustable straps
95% cotton 5% lycra
Colour: Black
Sizes: 32B, 32C, 34B, 34C, 34D, 34DD, 36B, 36C, 36D, 36DD, 38B, 38C, 38D

POUCH FEM PINK PVC 20X13X7CM



The POUCH FEM Pink PVC is a practical accessory designed to keep your essentials organized and easily accessible. Crafted from durable PVC material in a vibrant pink color, this pouch offers functionality and convenience. With its compact size and thoughtful design, it's perfect for storing cosmetics, toiletries, feminine hygiene products, or any other small items you need on the go.
KEY FEATURES:
•Made from high-quality PVC material, this pouch is sturdy and resistant to wear and tear, ensuring long-lasting use.
•With dimensions of 20X13X7CM, this pouch offers ample space for your essentials while remaining compact and portable
•Secure Zipper Closure

POUCH FEM CONDURA B/LOOP EMPTY 10X10CM



The POUCH FEM is a practical accessory designed to keep your essentials organized and easily accessible. With its compact size and thoughtful design, it's perfect for storing cosmetics, toiletries, feminine hygiene products, or any other small items you need on the go. Made from Condura Fabric

CASE FOR SHEWEE FUNNEL UNIT



Case for Shewee funnel unit.
Colours: Pace Nato Green, Power Pink, Pure White

SHEWEE LADIES EXTREME



Shewee is a urinating device that allows women to urinate without removing clothes whilst standing or sitting. The Extreme comes with a carry case and an extension tube.
Colours: Black, Bright Blue, Freedom Purple, Pace Nato Green, Power Pink, Pure White, Aqua, Desert Sand, Lilac, Pumpkin Orange

THE ORIGINAL SHEWEE



The Shewee is your perfect solution for needing to go, on the go! Shewee is an award winning portable urinating device for ladies, allowing you to urinate whilst standing and without removing any clothes. Shewee is also:

- NATO approved
- Discreet
- Lightweight
- Reusable
- Available on NHS prescription

Squatting in a field is now a thing of the past!
Colours: Black, Freedom Purple, Bright Blue, Power Pink, Pure White, Pace Nato, Aqua, Desert Sand, Lilac, Pumpkin Orange

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

OTHER

PEEBOL ABSORBENT POUCH



Private, easy to use, discreet, non-spill, odour free and recyclable. Urinate into your Peebol for secure hygienic disposal. Inside the Peebol are rapid performing absorbent granules that convert fluid into a biodegradable gel. Ideal for car journeys, in a tent or anywhere you get caught short. To remain completely private, ladies could use with or without their Shewee whilst men urinate directly into their Peebol. Can be sealed and opened to use again until full. Holds 1 litre.
Packs: Single, 3 Pack

SHEWEE LADIES MEDICAL

The Shewee Ladies Medical Clear is a portable urinating device that allows women to urinate while standing without removing clothes. It's ideal for outdoor activities, travel, or situations where access to toilets is limited. The device is NATO approved, discreet, lightweight, and reusable, offering privacy, convenience, and an eco-friendly alternative to disposables.

EXTENSION PIPE FOR THE ORIGINAL SHEWEE



Extension pipe for Shewee funnel unit.
Colours: Clear, Power Pink, Pure White

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

REFLECTIVE WEAR

HIGHWAY WAISTCOAT - WC-HIG



Lightweight waistcoat with ID pocket
Full zip front
Front and back reflective tape
120g 100% Polyester fabric
BSCI
OEKO-TEX
Sizes: S to 5XL

REFL JKT EN4 2TONE



EN22TPLBS – two tone poly blue and lime
EN22TPLOS - poly two tone lime and orange
Sizes: S to 5XL

REFL JKT EN4 STANDARD



EN4STDPRS– poly red STANDARD
EN4STDPPS– poly pink STANDARD
EN4POS– poly orange STANDARD
EN4PLS– poly lime STANDARD
EN4STDPBLUS– poly blue STANDARD
Sizes: S to 5XL

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

RESPIRATORY PROTECTION

3M™ HALF FACEPIECE REUSABLE RESPIRATOR 6100/07024(AAD) SMALL



3M™ 6000 Series reusable respirators are made from lightweight materials, and the adjustable features help provide a secure fit.
Compatible With: Line Compressed Air System SA Series, 3M™ Supplied Air System, Welding Shield, Dual Airline Supplied Air
Connection Type: Bayonet
Harness type: 4 point
Hazard Type: Mold, Silica
Primary Material: Thermoplastic Elastomer (TPE)
Recommended industries: Automotive, Construction, Food & Beverage Manufacturing, General Manufacturing, Heavy Manufacturing, Industrial Maintenance, Marine, Mining, Pharmaceuticals, Oil & Gas, Transportation

3M™ FULL FACEPIECE REUSABLE RESPIRATOR 6700 SMALL



The 6000 Series full facepiece respirator is crafted from lightweight, yet durable materials and features a soft silicone faceseal that conforms to the wearer's face, along with a wide lens for visibility.
Compatible with: 3M™ PAPR Systems, 3M™ Supplied Air System
Connection Type: Bayonet
Features: Dual Airline Supplied Air Compatible, Large Lens for Enhanced Field of View, Cool Flow™ Exhalation Valve, Enhanced Comfort
Harness type: 4 point
Hazard Type: Mold, Silica
Primary Material: Silicone/Thermoplastic Elastomer
Recommended Industries: Construction, Design & Construction, Food & Beverage Manufacturing, General Manufacturing, Heavy Industrial, Industrial Maintenance, Marine, Mining, Oil & Gas, Pharmaceutical, Transportation

3M™ REUSABLE HALF FACE MASK SMALL 7501



Reusable Half Face Masks 7500 Series have a bayonet-style twin-filter design that fits a broad range of 3M lightweight filters. Our 7500 Series reusable masks have a 3M™ Cool Flow™ Valve, a soft sealing surface for comfort, and a unique head harness with an optional drop-down strap.
Connection Type: Bayonet
Facepiece Material: Silicone
Harness type: 4 point
Mask Size: Small
Net Weight (Metric): 136 g
Primary Material: Silicone
Recommended Application: Construction, Food & Beverage Manufacturing, General Manufacturing, Metalworking, Woodworking
Replaceable Cartridge Included

3M™ RUGGED COMFORT HALF FACEPIECE 6501/49487 SMALL



The 3M™ Rugged Comfort 6500 Series Half Facepiece Reusable Respirator is designed to help promote comfort, durability, and stability with a firm, lightly textured silicone faceseal and strong body construction.
Features: 3M™ Cool Flow™ Valve
Gas & Vapor Protection Type: Hydrogen Fluoride, Mercury Vapor or Chlorine, Organic Vapor, Organic Vapor/Acid Gas/Ammonia/ Methylamine/Formaldehyde
Hazard Type: Mold, Silica
Primary Material: Silicone/Nylon
Recommended Industries: Agriculture, Construction, Design & Construction, Facility Sanitation, Food & Beverage Manufacturing, Food Processing, Food Safety, General Manufacturing, Heavy Industrial, Industrial Maintenance, Manufacturing, Marine, Metal Production & Fabrication, Military Maintenance, Repair & Operation (MRO), Mining, Oil & Gas, Pharmaceutical, Transportation

DUST MASK DRAGER X-PLORE 1520 FFP2 3956034



The Dräger X-plore 1520 FFP2 is a high-performance filtering face piece that protects against solid and liquid non-volatile particles. It complies with strict standards, including homologation AZ2010/59 by SABS.
Materials: Constructed using a mechanical and electrically charged nonwoven material for particle filtration. A textile rubber band head strap and a tinplate nose clip. The filter consists of four layers: spunbond (outer), prefilter, meltblown, and spunbond (inner).
Particle Filtration Efficiency: Achieves at least 94% efficiency for both sodium chloride and paraffin oil aerosols, meeting EN 149 standards.
Breathing Resistance: Low breathing resistance with maximum values of 0.7 mbar for inhalation and 3.0 mbar for exhalation at constant flow rates.
Dolomite Clogging Test: Successfully passed, ensuring long-lasting durability even in challenging conditions.

DUST MASK DRAGER X-PLORE 1520 FFP2V 3956146



The Dräger X-plore 1520 FFP2V is a filtering face piece designed to protect against solid and liquid non-volatile particles. Approved through AZ2010/59 homologation by SABS
Materials: Constructed with a mechanical and electrically charged nonwoven material for particle filtration, a textile rubber band for the head strap, a tinplate nose clip, and an integrated valve for improved breathability.
Particle Filtration Efficiency: Meets EN 149 standards with a minimum 94% filtration efficiency for sodium chloride and paraffin oil aerosols.
Breathing Resistance: Features low breathing resistance, with maximum inhalation resistance of 0.7 mbar and exhalation resistance of 3.0 mbar at specified flow rates.
Dolomite Clogging Test: Successfully passed, demonstrating durability even in demanding conditions.

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

RESPIRATORY PROTECTION

DUST MASK DRAGER X-PLORE 1720 FFP2 3956153



The Dräger X-plore 1700 FFP2 provides effective protection against fine dust, solid particles, and liquid aerosols. It meets the FFP2 class under EN 149 standards.
CoolSAFE™ Filter Material: This multi-layer filter material ensures efficient filtration with low breathing resistance, allowing comfortable use over extended periods.
VarioFLEX™ Head Harness: The continuous loop design, made from elastic textile straps, offers a secure, pressure-free fit.
Secure Seal: The ergonomic design, with a soft nose pad and nose clip, ensures a tight, leak-free seal.
Comfortable to Wear: The hypoallergenic inner fleece lining repels moisture, enhancing comfort and minimizing breathing resistance, even during extended wear.

DUST MASK DRAGER X-PLORE 1720 FFP2V 3956155



The Dräger X-plore 1720 FFP2V offers both protection and comfort. It safeguards against fine dust, solid particles, and liquid aerosols while ensuring ease of use and comfort during extended tasks.
CoolSAFE™ Filter Material: High-performance filter media provide efficient filtration with low breathing resistance, allowing extended use without fatigue.
CoolMAX™ Exhalation Valve: Releases warm and humid air to prevent heat build-up.
VarioFLEX™ Head Harness: Elastic textile straps offer a secure, pressure-free fit.
Secure Seal: Ergonomic design with a soft nose pad and clip ensures a tight, leak-free fit, enhancing protection.
Comfort: The soft, hypoallergenic, and moisture-repellent inner fleece lining enhances comfort.
Certifications: Complies with EN 149:2001+A1:2009 standards

DUST MASK DRAGER X-PLORE 1730 FFP3V 3956160



The Dräger X-plore® 1730 is designed for optimal comfort and safety, providing high filtration efficiency with low breathing resistance in hazardous environments.
CoolSAFE™ Filter Material: Delivers high filtration performance while maintaining low breathing resistance, allowing easy, comfortable breathing.
CoolMAX™ Exhalation Valve: Efficiently releases warm, humid air, preventing heat build-up.
VarioFLEX™ Head Harness: The elastic, tear-proof harness ensures a secure, pressure-free fit.
Secure Seal: The ergonomic design, with a soft nose pad and nose clip, ensures a tight, leak-free fit, enhancing protection.
FFP3 Protection: Provides FFP3-level defense against solid and liquid particles, radioactive materials, airborne biological substances (risk groups 3), and enzymes, suitable for highly hazardous environments.

DRÄGER X-PLORE® 3300 HALF MASK



The Dräger X-plore® 3300 is a lightweight half mask designed for comfort and efficiency in respiratory protection. Made from skin-friendly Soft-TPE, it offers a secure fit for various applications.
Features:
- Twin-filter system for enhanced safety.
- Low breathing resistance with a large exhalation valve.
- Ergonomic design with criss-cross head straps for even pressure distribution.
- Compact and low-profile, ensuring an optimal field of view.
- CE-certified (EN 140) for reliable protection.

DRÄGER X-PLORE® 3500 HALF MASK



The Dräger X-plore® 3500 combines durability and comfort with its hypoallergenic DrägerFlex material. It's designed for users needing long-lasting protection in demanding conditions.
Features:
- Drop-down harness for easy donning and doffing.
- FlexiFit head straps provide an adjustable and secure fit.
- Criss-cross strap design ensures comfort and pressure distribution.
- Compact design that does not interfere with protective eyewear.
- CE-certified (EN 140) with available spare parts for maintenance.

X-PLORE 1520 FFP2 DUST MASK (VALVE)



The Dräger X-plore® 4740 is a robust half mask designed for exceptional comfort and leak-tightness in demanding applications. Suitable for various industries, it offers compatibility with a wide range of filters for protection against gases, vapors, and particles.
Features:
- Mask Body: Available in silicone (black) or TPE (grey-transparent), with a durable PP plastic hard body.
- Filter Connection: Standard thread connection (Rd40) compliant with EN 148-1 for flexibility in filter options.
- Weight: Approximately 160 g (silicone) and 175 g (TPE).
- Head Harness: Flexible neoprene strap with adjustable points; drop-down option for convenience.
- Robust Design: Durable materials ensure longevity and reliability.

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

RESPIRATORY PROTECTION

DUST MASK GREENLINE FFP2V 9606



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
FFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 9241



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
FFP2 has an APF of 10

DUST MASK GREENLINE FFP2 1200



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 1201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2 3200



Superior Filter Media: Superior Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 3201



Superior Filter Media: Superior Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFFP2 has an APF of 10

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

RESPIRATORY PROTECTION

DUST MASK GREENLINE FFP2 4200



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 4201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Foldable: Mask folds flat for easy storage.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2 5200



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable: Mask is adjustable to fit most face shapes.The mask folds flat for easy storage
Colour Coded Hydrophobic Outer: Easy identification of risk area and worker compliance. Outer material is inherently hydrophobic and repels moisture.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 5201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable: Mask is adjustable to fit most face shapes.The mask folds flat for easy storage
Colour Coded Hydrophobic Outer: Easy identification of risk area and worker compliance. Outer material is inherently hydrophobic and repels moisture.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP3V 5301



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable: Mask is adjustable to fit most face shapes.The mask folds flat for easy storage
Colour Coded Hydrophobic Outer: Easy identification of risk area and worker compliance. Outer material is inherently hydrophobic and repels moisture.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP3 has an APF of 20

DUST MASK GREENLINE FFP2V 5401



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme.
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable: Mask is adjustable to fit most face shapes.The mask folds flat for easy storage
Colour Coded Hydrophobic Outer: Easy identification of risk area and worker compliance. Outer material is inherently hydrophobic and repels moisture.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

RESPIRATORY PROTECTION

DUST MASK GREENLINE FFP1 6100



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP1 has an APF of 4

DUST MASK GREENLINE FFP2 6200



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 6201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2 7200



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 7201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP3V 7301



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP3 has an APF of 20

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

RESPIRATORY PROTECTION

DUST MASK GREENLINE FFP2 7400



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP2V 7401



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP2 has an APF of 10

DUST MASK GREENLINE FFP3V 7501



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
SABS Quality Mark: Manufactured under SABS Mark scheme
Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.
Metal Nose Clip: Punched and Rounded Metal Nose Clip.
Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user.
Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.
Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work.
An FFP3 has an APF of 20

DUST MASK U 3001 ECONO MOULDED FFP2



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS
Model principle: 3001 FFP2 Cup mask consists of 4 layers, nonwoven, High electrostatic charged filtering media

DUST MASK U 9400 PREM CARBON MOULDED FFP2V



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS.
Model principle: 9400 FFP2 CARBON + VALVE NR D U-MASK consists of 5 layers, nonwoven, High electrostatic charged filtering media plus 990gsm Carbon Media with Flame Retardant Outer Layers

DUST MASK U 9400 PREM PRO-WELDER MOULDED FFP2V



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0243. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS
Model principle: 9400 Pro Welder Series FFP2 U-Mask consists of 5 layers, nonwoven, High electrostatic charged filtering media plus 990gsm Carbon Media with Flame Retardant Outer Layers

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

RESPIRATORY PROTECTION

DUST MASK U 2001 ECONO F/FOLD FFP2



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS Specifications
Model principle: 2001 Econo Valve FFP2 NR D U-MASK consists of 4 layers, nonwoven, High electrostatic charged filtering media.

DUST MASK U 2002 ECONO F/FOLD FFP2V



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS
Model principle: 2002 Econo Valve FFP2 NR D U-MASK consists of 4 layers, nonwoven, High electrostatic charged filtering media. With Exhalation valve

DUST MASK U 9200 PREM F/FOLD FFP2



Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS
Model principle: 9200Premium Valve FFP2 NR D U-MASK consists of 4 layers, nonwoven, High electrostatic charged filtering media

DUST MASK U 9201 PREM F/FOLD FFP2V



Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS
Model principle: 9201 Premium Valve FFP2 NR D U-MASK consists of 4 layers, nonwoven, High electrostatic charged filtering media
With Exhalation valve

DUST MASK U 9202 PREM CARBON F/FOLD FFP2V



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by
accredited and notified NRCS
Model principle: 9202 FFP2 NR D U-MASK consists of 5 layers, nonwoven, High electrostatic charged filtering media. With 150gsm Activated Carbon Media Particle Filtering Material and Exhalation Valve

DUST MASK U 9300 PREM F/FOLD FFP3V



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS
Model principle: 9300 FFP3 NR D U-MASK consists of 4 layers, nonwoven, High electrostatic charged filtering media
With Exhalation Valve

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

RESPIRATORY PROTECTION

DUST MASK U 5000 PREM MEDICAL FFP2



Designation: Particle Filtering Half Mask
Intended use: Protection against Solid and liquid non-volatile particles.
Standards: EN149:2001 + A1:2009 ''Particle Filtering Half mask''
Approval: NRCS/8072/0247. Homologation of respiratory equipment, testing and approval by accredited and notified NRCS.
Model principle: 5000 Series FFP2 NR U-MASK consists of 4 layers, nonwoven, High electrostatic charged filtering media.

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

WORKWEAR

1PC SAHARA D59 L ART



The SAHARA D59 100% Cotton Ladies Artisan Boiler Suit is a durable garment designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also includes two breast pockets, a covered elastic back for comfort, and triple stitching for durability. The suit has open cuffs, reflective tape added for visibility, and is made from 100% cotton with SABS-compliant trims. It is sized to account for fabric shrinkage, ensuring a proper fit.

1PC SAHARA J54 L ART



The SAHARA J54 100% Cotton Ladies Artisan Boiler Suit is a durable garment designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also includes two breast pockets, a covered elastic back for comfort, and triple stitching for durability. The suit has open cuffs, reflective tape added for visibility, and is made from 100% cotton with SABS-compliant trims. It is sized to account for fabric shrinkage, ensuring a proper fit.

1PC SAHARA D59 L ENG



The SAHARA D59 100% Cotton Ladies Engineering Suit is a durable garment designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, Ribbed Cuff Sleeve, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also includes two breast pockets, a covered elastic back for comfort, and triple stitching for durability. The suit has ribbed cuffs, reflective tape added for visibility, and is made from 100% cotton with SABS-compliant trims. It is sized to account for fabric shrinkage, ensuring a proper fit.

1PC SAHARA J54 L ENG



The SAHARA J54 100% Cotton Ladies Engineering Suit is a durable garment designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, Ribbed Cuff Sleeve, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also includes two breast pockets, a covered elastic back for comfort, and triple stitching for durability. The suit has ribbed cuffs, reflective tape added for visibility, and is made from 100% cotton with SABS-compliant trims. It is sized to account for fabric shrinkage, ensuring a proper fit.

1PC SAHARA ACID PV L GRN



SAHARA Polyviscose acid resistant ladies Boiler suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets. Elasticated on back of trouser. Breast pocket with a flap and button to close. Fully posted (triple stitched) For use predominantly in areas where chemical substances are present. Fabric: 80/20 Polyester/Viscose. This Polyviscose fabric complies to test requirements given in EN 13034 and when testes in accordance with ISO 6530 and classified as per EN 14325 meets Class 3 Level, reflective tape added for visibility. Trims: All sabs compliant The garment is manufactured to sizes which exceed SABS 434.

1PC SAHARA L FLAME FERN



SAHARA ladies 100% cotton D59 flame retardant Boiler suit. Manufactured in reference to sans 434, brass ykk zipper, breast pocket with flap and press stud to close, fully posted (triple stitched), all stress seams are bar tacked, double stitched pockets, fill swing side trouser pockets, press stud above zip/ below the collar on jacket, extended sleeve length & jacket length to accommodate for industrial wash cotton shrinkage, Elasticated on back trouser
Fabric: 100% cotton D59 flame retardant and is sabs mark bearing according to SANS 1387 part IV, reflective tape added for visibility. Trims: All sabs compliant
The garment is manufactured to sizes that exceed SABS 434.

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

WORKWEAR

1PC SAHARA L 65/35 ACID



SAHARA 65/35 polycotton acid resistant ladies Boiler suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets. Elasticated on back of trouser. Breast pocket with a flap and button to close. Fully posted (triple stitched). For use predominantly in areas where chemical substances are present. Fabric: 65/35 Polycotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility. Trims: All sabs compliant. The garment is manufactured to sizes which exceed SABS 434

2PC SAHARA J54 L



SAHARA ladies cut 100% cotton J54 conti suit.
Flares around bust & hips with side slits, brass YKK zipper, breast pocket with flap and press stud to close, slanted side ja cke t pockets, fully posted (triple stitched), all stress seams are bar tacked, double stitched pockets, deep swing side trouser pockets, ruler pocket on trouser, ribbed cuffed sleeve, pink label for ease of identification, drawstring waist.
Fabric: 100% cotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility
Trims: All sabs compliant
The garment is manufactured to sizes which exceed SABS 434

2PC SAHARA D59 L



SAHARA ladies cut 100% cotton D59conti suit.
Flares around bust & hips with side slits, brass YKK zipper, breast pocket with flap and press stud to close, slanted side ja cke t pockets, fully posted (triple stitched), all stress seams are bar tacked, double stitched pockets, deep swing side trouser pockets, ruler pocket on trouser, ribbed cuffed sleeve, pink label for ease of identification, drawstring waist.
Fabric: 100% cotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility
Trims: All sabs compliant
The garment is manufactured to sizes which exceed SABS 434

2PC NOAH L ACID FLAME



The NOAH Acid Resistant and Flame Retardant Conti Suit is designed for protection in environments with chemicals and open flames.
Compliance with SANS 434 standards
Brass YKK zipper, breast pocket with flap, front jacket pockets, and elasticated cuffs
Triple posting, bar-tacked stress seams, and double-stitched pockets
Full swing side trouser pockets, ruler pocket, and extended sleeve and jacket lengths to account for fabric shrinkage
Reflective tape added for visibility
Fabric: CS59 W8, compliant with SANS 1387:2017, EN 13034, and ISO 6530 for flame and acid resistance
SABS compliant trims and sizing

2PC SAHARA L FLAME FERN



SAHARA ladies 100% cotton D59 flame retardant Conti suit. Manufactured in reference to sans 434, brass ykk zipper, breast pocket with flap and press stud to close, slanted side jacket pockets, fully posted (triple stitched), all stress seams are bar tacked, double stitched pockets, fill swing side trouser pockets, ruler pocket on trouser, press stud above zip/ below the collar on jacket, extended sleeve length & jacket length to accommodate for industrial wash cotton shrinkage, drawstring trouser
Fabric: 100% cotton D59 flame retardant and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility. Trims: All sabs compliant
The garment is manufactured to sizes that exceed SABS 434

2PC SAHARA L PV ACID



SAHARA Polyviscose acid resistant ladies Conti suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets, side slits & ruler pocket. Covered elastic back. One breast pocket with a flap and button to close. Fully posted (triple stitched) inner leg, back rise, waist and shoulder line, open cuffs.
For use predominantly in areas where chemical substances are present.
Fabric: 100% cotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility. Trims: All sabs compliant
The garment is manufactured to sizes that exceed SABS 434

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

SHEQ SAFETY

WORKWEAR

2PC SAHARA L 65/35 ACID



SAHARA 65/35 polycotton acid resistant ladies Conti suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets, side slits & ruler pocket. Covered elastic back. One breast pocket with a flap and button to close. Fully posted (triple stitched) inner leg, back rise, waist and shoulder line, open cuffs. For use predominantly in areas where chemical substances are present. Fabric: 65/35 Polycotton and is sabs mark bearing according to SANS 1387 part IV, Reflective Tape added for visibility. Trims: All sabs compliant
The garment is manufactured to sizes that exceed SABS 434

SHIRT SAHARA COT L L/S



SAHARA ladies cut long sleeve winter and summer work shirts
100% cotton shirting fabric
Button down
Mesh vent inner back with vent (summer shirt with vents winter shirts without vents)
Reflective tape added for visibility
Available in a variety of colours such as: Orange/Charcoal, Yellow/Grey, Yellow/Navy, Orange/Navy, Red/Navy, and more

SHIRT SAHARA COT L S/S



SAHARA ladies cut short sleeve work shirts
100% cotton shirting fabric
Button down
Mesh vent inner back with vent
Reflective tape added for visibility
Available in a variety of colours such as: Orange/Charcoal, Yellow/Grey, Yellow/Navy, Orange/Navy, Red/Navy, and more

SHIRT SAHARA COT L MAT



Shirt Sahara Cotton Ladies Maternity Long Sleeve, a functional and comfortable work shirt designed for expecting mothers, offering both style and practicality. This shirt features a vibrant two-tone color scheme, providing visibility and a modern aesthetic. Long Sleeve Summer Reflective Work Shirt: Ideal for warm weather, this long sleeve shirt is crafted to keep you cool and visible. Extra Length: With added length, this maternity shirt ensures a comfortable and flattering fit throughout your pregnancy. Air Vent Opening Across the Back: The shirt features an air vent opening across the back, lined with mesh, promoting airflow. Reinforced with double top stitching Crafted from lightweight approximately 155g cotton fabric

JEAN SAHARA DENIM SKINNY L BLUE



Industrial Wash: A durable industrial wash process gives these jeans a timeless, worn-in appearance while enhancing their longevity.
Deeper Pockets
Reinforced with rustless rivets,Oxidized YKK Zipper
Designed with extra length
Crafted from 9.05oz stretch denim, these jeans offer optimal comfort and flexibility, allowing you to move freely throughout your day.
All trims used in the manufacturing process meet SABS compliance standards, ensuring quality and safety.
Manufactured to sizes that exceed SABS 434 standards

JEAN SAHARA DENIM STRETCH L B/LEG BLUE



Sahara Ladies Fashion 8.5oz Stretch Indigo Denim Bootleg Jeans,
These jeans undergo a robust industrial wash process. The posted inner leg enhances the durability of the jeans
Deeper pockets, Reinforced with rustless rivets, The oxidized YKK zipper offers smooth functionality and longevity.
Designed with extra length
Crafted from 9.05oz stretch denim, these jeans offer superior comfort and flexibility, allowing for unrestricted movement throughout the day.
All trims used in the manufacturing process meet SABS compliance standards, ensuring high-quality construction and safety.
Manufactured to sizes that exceed SABS 434 standards

GAUTENG
+27 11 760 2185
info@saharaworkwear.com

COPYRIGHT © 2026 SAHARA WORKWEAR

WORKWEAR

JEAN SAHARA DENIM STRETCH L S/LEG BLUE



Sahara Ladies Stretch Indigo Denim Straight Leg Jeans.
These jeans undergo a robust industrial wash process, Reinforced with a posted inner leg, Deeper Pockets, Designed with rustless rivets, The oxidized YKK zipper ensures smooth functionality and durability, With extra length, Crafted from 9.05oz stretch denim, these jeans offer exceptional comfort and flexibility, All trims used in the manufacturing process meet SABS compliance standards, guaranteeing high-quality construction and safety.
Manufactured to sizes that exceed SABS 434 standards

JEAN SAHARA DENIM STRETCH L MAT S/LEG BLUE



Sahara Ladies Straight Leg Stretch Indigo Denim Maternity Jeans
These maternity jeans undergo a durable industrial wash process, Reinforced with a posted inner leg, Deeper Pockets, Designed with rustless rivets, The oxidized YKK zipper ensures smooth functionality and durability, With extra length, Featuring a maternity band, these jeans offer extra support and comfort for your growing bump, allowing you to wear them throughout your pregnancy with ease. Crafted from 8.5oz stretch indigo denim, these maternity jeans offer exceptional comfort and flexibility, allowing for unrestricted movement and providing room for your changing body.

Terms and Conditions:

- Minimum order quantity might apply
- Please check stock availability before purchase
- Please note made to order items will have a lead time - please confirm the lead time before purchase
- Standard terms and conditions apply.

When receiving/downloading our catalogues you accept/acknowledge that some items displayed in the catalogue might have different lead/delivery times than usual or may temporarily be out of stock or permanently discontinued.

We appreciate your understanding. Please feel free to email us at info@saharaworkwear.com if you have any queries

GAUTENG
+27 11 760 2185
info@saharaworkwear.com
COPYRIGHT © 2026 SAHARA WORKWEAR